

RMR CUT SLIDE FOR GLOCK® 17 GEN 4 - BROWNELLS BRN RMR SLIDE FOR GEN 4 GLOCK 17, W/WINDOW, BLACK NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Integral Red Dot Mount, Plus Unique Cocking Serrations & Gen4 Parts Compatibility

Our RMR Slide for Glock® 17 Gen4 pistols features distinctive, wraparound front cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. Let's be honest: the serrations also look cool! These slides have a built-in mount for the popular Trijicon RMR red dot sight and certain Holosun sights (see list below), enabling shooters to get on-target faster and more easily than they can with standard pistol sights. All RMR Slides also have Glock® factory front and rear sight dovetails for backup iron sights. To get proper co-witnessing with the RMR, you will need to also install suppressor-height iron sights. You can get your RMR Slide for Glock® 17 Gen4 with a "window" cutout on top between the front serrations (so no wraparound serrations on this one) that enhances airflow to keep the barrel cooler - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.), the window helps your gun stand out from the sea of matte black on the firing line! Each RMR Slide for Glock® 17 Gen4 pistols starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll fit factory frames and accept factory or aftermarket barrels and Gen4 internal parts. Each slide is heat-treated to Rockwell "C" 41-44 for enhanced surface hardness and excellent resistance to galling and wear. A tough, non-reflective, Black Nitride finish resists surface scuffs and scratches. Fits Gen4 Glock® 17 pistols & clones Machined from 17-4 stainless steel billet Tough Black Nitride finish Choose traditional Solid top or distinctive top Window cutout Pre-cut Trijicon RMR red dot sight mounting slot Also accepts Holosun HE508T, HS507C & HS407C red dots A Brownells RMR Slide is an excellent upgrade that takes a factory Glock® 17 Gen4 from good to GREAT. It can also serve as the perfect "top half" for a brand-new custom gun built on the popular Polymer80 80% frame. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



Attributes

- Name: [BROWNELLS BRN RMR SLIDE FOR GEN 4 GLOCK 17, W/WINDOW, BLACK NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000458
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Stainless w/Nitride Finish
- Model: 17
- Sights: RMR
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.227kg

- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 050806112759

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- RMR CUT SLIDE FOR GLOCK® 17 GEN 4 SAFETY INSTRUCTION GUIDE
- About Us

RMR CUT SLIDE FOR GLOCK® 17 GEN 4 SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the RMR Cut Slide for Glock® 17 Gen 4 by Brownells. This guide provides essential safety information and instructions to ensure the safe use and installation of your product. Please read this document carefully to understand the necessary precautions and steps to take for a safe experience.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock® 17 Gen 4 before installing the RMR slide.
- Always treat firearms as if they are loaded. Keep the muzzle pointed in a safe direction and your finger off the trigger until ready to shoot.
- Store your RMR slide and firearm securely, out of reach of children and unauthorized users.
- Regularly inspect your firearm and accessories for wear or damage. Replace any damaged components immediately.
- Follow all local laws and regulations regarding firearm modifications and usage.
- If you are unsure about any aspect of installation or usage, consult a qualified gunsmith or firearms expert.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure your firearm is unloaded before beginning the installation process.
- Use proper tools for installation to avoid damaging the slide or your firearm.

• Sighting Precautions:

- When installing sights, ensure they are securely mounted and properly aligned.
- Use suppressorheight iron sights for cowitnessing with the RMR to prevent obstruction of your view.

• Operational Precautions:

- Always check the chamber and magazine before firing.
- Be aware of your surroundings and ensure a safe shooting environment.

• Maintenance Precautions:

- Clean your RMR slide regularly to prevent buildup of debris that could affect performance.
- Apply appropriate lubricants to moving parts to ensure smooth operation.

Instructions for Installation and Usage

1. Installation Steps:

- Ensure your Glock® 17 Gen 4 is unloaded and pointed in a safe direction.
- Remove the factory slide from the frame by following the manufacturer's guidelines.
- Align the RMR slide with the factory frame, ensuring the slide rails fit properly.
- Securely attach the slide to the frame, ensuring all components fit snugly.
- Install the Trijicon RMR red dot sight according to the manufacturer's instructions, ensuring it is properly mounted and secured.
- If using a "window" cutout slide, verify the airflow enhancement feature is unobstructed.

2. Usage Steps:

- After installation, perform a function check to ensure the slide operates smoothly.
- Familiarize yourself with the new sight picture and practice aiming before live firing.

- Always use appropriate ammunition (9 mm Luger) for your Glock® 17 Gen 4.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- When disposing of the RMR slide, ensure it is rendered unusable to prevent unauthorized use.
- Recycle materials where possible, following local recycling guidelines.

Contact Information for Further Support

For inquiries regarding safety, installation, or product performance, please consult a qualified gunsmith or contact the manufacturer directly for assistance.

By following these guidelines and instructions, you can ensure the safe operation and enjoyment of your RMR Cut Slide for Glock® 17 Gen 4. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk