

# RMR CUT SLIDE FOR GLOCK® 17 GEN 3 - BROWNELLS RMR SLIDE +WINDOW FOR GEN3 GLOCK® 17 FDE PVD

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

## Optic-Ready, Ergonomically Enhanced Slide With a Bundle of Custom Features

Our RMR Slide for Glock® 17 Gen3 pistols features distinctive, wraparound front cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. (OK, we'll admit it: the serrations just look cool, too.) It also comes with a pre-cut slot for easy, secure mounting of a Trijicon RMR or Holosun red dot sight. All RMR Slides also have standard Glock® factory front and rear sight dovetails for "iron" backup sights. To get proper co-witnessing with the RMR, you will need to also install suppressor-height iron sights. You can also get your Brownells RMR Slide for Glock® 17 Gen3 with a "window" cutout on top that enhances airflow to keep the barrel cool - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) the window lets you show it off a bit! Each RMR Slide for Glock® starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll fit factory frames and accept factory or aftermarket barrels and Gen3 internal parts. Slides are heat-treated to Rc 41-44 on the Rockwell C scale for added surface hardness and wear resistance. You can get your RMR slide in one of 3 finishes: a wear-resistant basic Black Nitride, or a thin, extremely tough, physical vapor deposition (PVD) coating in Bronze or Flat Dark Earth (FDE). Fits Gen3 Glock® 17 pistols & clones Machined from corrosion-resistant 17-4 stainless steel billet Trijicon RMR mounting slot Also accepts Holosun HE508T, HS507C & HS407C red dot sights Plus factory front/rear sight cuts Available with distinctive top Window cutout or traditional Solid top A Brownells RMR Slide is the ideal upgrade for your factory Glock® 17 Gen3 pistol OR the perfect "top half" for a brand-new custom gun built on a Polymer80 80% frame. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



## Attributes

- Name: [BROWNELLS RMR SLIDE +WINDOW FOR GEN3 GLOCK® 17 FDE PVD](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000497
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Flat Dark Earth
- Model: 17
- Sights: RMR
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.29kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 229mm

- UPC: 050806112926

### **Item details**

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- RMR CUT SLIDE FOR GLOCK® 17 GEN 3 SAFETY INSTRUCTIONS
- About Us

# RMR CUT SLIDE FOR GLOCK® 17 GEN 3 SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the RMR Cut Slide for Glock® 17 Gen 3 from Brownells. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use the slide safely and effectively.

## General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or handling the slide.
- Be aware of your surroundings when handling firearms; always treat every firearm as if it is loaded.
- Store the slide and your firearm in a secure location away from children and unauthorized users.
- Regularly inspect your slide for signs of wear or damage. Do not use a damaged slide.
- Follow all local laws and regulations regarding the use and modification of firearms.
- If you are unsure about any aspect of installation or usage, seek assistance from a qualified gunsmith.

## Specific Safety Precautions for Use

- Ensure that the Trijicon RMR or Holosun sight is securely mounted before use.
- Use only suppressorheight iron sights for proper cowitnessing with the RMR.
- Avoid using the slide in extreme conditions without proper maintenance and inspection.
- Do not attempt to modify the slide or its components. Any unauthorized modifications may compromise safety.
- Always wear appropriate eye and ear protection when using your firearm.
- Be cautious of the slide's sharp edges during installation and handling.

## Instructions for Installation and Usage

### Installation

#### 1. Preparation:

- Ensure your Glock® 17 Gen 3 is unloaded and disassembled.
- Gather necessary tools, including a channel liner installation tool (recommended #777100017).

#### 2. Channel Liner Installation:

- Install the channel liner as per the tool's instructions. This is a press fit and requires proper alignment.

#### 3. Mounting the Slide:

- Align the RMR Slide with the factory frame.
- Gently slide it into place, ensuring it fits securely and aligns with the factory specifications.

#### 4. Sight Installation:

- If using a Trijicon RMR or Holosun sight, follow the manufacturer's instructions for mounting.
- Ensure that the sight is properly secured to avoid any movement during use.

#### 5. Final Checks:

- Verify that all components are securely fastened.
- Inspect the installation for any misalignments or loose parts.

## Usage

- Before each use, check that the slide is properly mounted and that the sights are aligned.
- During shooting, monitor the slide for any unusual sounds or movements that may indicate a malfunction.
- After use, clean and maintain the slide according to the manufacturer's guidelines.

## Disposal Instructions

- Dispose of any damaged or unusable components in accordance with local regulations.
- Do not discard the slide in regular trash. Contact local waste management for proper disposal methods.
- Ensure that all parts are rendered unusable before disposal to prevent unauthorized use.

## Contact Information for Further Support

For any questions or concerns regarding the RMR Cut Slide for Glock® 17 Gen 3, please refer to the manufacturer's website or customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your RMR Cut Slide for Glock® 17 Gen 3. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)