

EXTRACTOR DEP. PLUNGER - EXTRACTOR DEPRESSOR PLUNGER FOR GLOCK

[Handgun Parts](#) > [Action Parts](#) > [Extractor Parts](#) > [Extractor Plungers](#)

FITS: Model 17, 9mm; Model 19, 9mm; Model 22, .40 S&W; Model 23, .40 S&W; Model 26, 9mm; Model 27, .40 S&W; Model 31, .357 SIG; Mdl 32, .357 SIG; Mdl 33, .357 SIG; Mdl 34, 9mm; Mdl 35, .40 S&W; Mdl 37, .45 GAP; Mdl 38, .45 GAP; Mdl 39,.45GAP

Extractor Depressor Plunger - fits 9mm, .40, .380, .357, .45 GAP (plunger does not have center rib)



Attributes

- Name: [EXTRACTOR DEPRESSOR PLUNGER FOR GLOCK](#)
- Manufacturer: [GLOCK](#)
- Product no.: 100002682
- Mfr. No.:
- Make: Glock
- Model: 17,19,22,23,26,27,31,32,33,34,35,37,38,39
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 102mm

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Extractor Depressor Plunger for Glock
- About Us

Safety Instruction Guide for Extractor Depressor Plunger for Glock

Introduction

Thank you for choosing the Extractor Depressor Plunger designed for Glock firearms. This guide provides essential safety instructions to ensure the safe use of this product. Please read the entire guide carefully before using the product.

General Safety Guidelines

- Ensure the product is used only with compatible Glock models: 37, 39, 17, 19, 22, 23, 34, 35, 26, 27, 31, 32, 33, 38.
- Keep this product out of reach of children and unauthorized users.
- Always handle firearms with care and follow all safety protocols for firearm handling.
- Inspect the product for any signs of damage before use. Do not use if damaged.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear safety glasses when installing or using the Extractor Depressor Plunger.
- Do not modify the plunger or use it for purposes other than intended.
- Ensure that the firearm is unloaded before performing any maintenance or installation.
- Avoid placing fingers near the plunger area during operation to prevent injury.
- Store the product in a dry, cool place to prevent degradation.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools for installation (if required).

2. Installation Steps

- Carefully remove the existing extractor depressor plunger from the firearm.
- Align the new Extractor Depressor Plunger with the plunger hole.
- Gently insert the plunger into the designated area until it is securely in place.
- Ensure that the plunger is seated properly and operates smoothly.

3. Usage Instructions

- Follow standard operating procedures for your Glock firearm.
- Regularly check the functionality of the Extractor Depressor Plunger during routine maintenance.
- If you notice any irregularities in operation, discontinue use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the Extractor Depressor Plunger in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for specific disposal guidelines.

Contact Information for Further Support

For any inquiries or support regarding the Extractor Depressor Plunger, please reach out to your retailer or manufacturer. Ensure you have your purchase information ready for reference.

Thank you for your attention to these safety guidelines. Your safety and the safe operation of your firearm are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at