

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.600" ROUND BALL 324.25GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.600" ROUND BALL 324.25GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032183
- Mfr. No.: 90975
- Delivery weight: 0.431kg
- Shipping height: 51mm
- Shipping width: 864mm
- Shipping length: 279mm
- UPC: 734307909758

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS](#)
- [About Us](#)

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by Lee Precision. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before using the molds.

General Safety Guidelines

- Ensure safe handling and usage of the molds to prevent accidents and injuries.
- Always keep the molds out of reach of children and vulnerable individuals.
- Regularly inspect the molds for any signs of damage or wear before each use.
- Familiarize yourself with the product and its features before use.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the molds in a wellventilated area to avoid inhalation of fumes.
- Always wear appropriate personal protective equipment (PPE), including gloves and safety goggles.
- Handle hot molds with care to prevent burns or injuries.
- Do not exceed the recommended temperature limits while using the molds.
- Avoid using the molds for purposes other than those intended.
- Ensure that the molds are securely placed on a stable surface during use to prevent tipping.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including the molds, lead, and a suitable heat source.
- Ensure that your work area is clean and organized.

2. Setting Up the Molds:

- Place the molds on a stable and heatresistant surface.
- Ensure that the handles and sprue plate are securely attached.

3. Melting the Lead:

- Heat the lead in a suitable melting pot until it reaches the desired temperature.
- Use caution when handling hot lead to prevent spills and burns.

4. Pouring the Lead:

- Carefully pour the molten lead into the cavity of the molds, avoiding overfilling.
- Allow the lead to cool and solidify according to the manufacturer's recommendations.

5. Removing the Castings:

- Once the lead has cooled, carefully open the molds to remove the cast round balls.
- Inspect the castings for any defects before use.

6. Cleaning the Molds:

- After use, clean the molds with a soft cloth to remove any residual lead or debris.
- Store the molds in a dry place to prevent rust and damage.

Disposal Instructions

- Dispose of any leftover lead and waste materials in accordance with local regulations.
- Do not dispose of lead in regular household waste. Check for designated recycling programs for hazardous materials in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and usage of your MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please reach out to the designated contact point provided with your product.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk