

# AR-15 KP-15 STRIPPED LOWER RECEIVERS POLYMER - KE ARMS

## KP-15 STRIPPED LOWER RECEIVER POLYMER BLACK

[Rifle Parts](#) > [Receiver Parts](#) > [Receivers](#) > [Lower Receivers](#)

### Add Your Own Parts Kit

What makes this stripped lower different? The answer is simple... the KE Arms KP-15 stripped lower receiver is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 stripped lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!**: This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in.

Stripped Lowers Include Pivot and Take Down Pins KP-15 Selector Detent  
Buttplate 5/64" Roll Pin to Retain Buffer Detent The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. CERAKOTE: If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:**

The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00.

**NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



What makes this stripped lower different? The answer is simple... the KE Arms KP-15 stripped lower receiver is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 stripped lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The

buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!**: This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in.

Stripped Lowers Include Pivot and Take Down Pins KP-15 Selector Detent Buttplate 5/64" Roll Pin to Retain Buffer Detent The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE**: If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY**: The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE**: Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.

## Attributes

- Name: [KE ARMS KP-15 STRIPPED LOWER RECEIVER POLYMER BLACK](#)
- Manufacturer: [KE ARMS](#)
- Product no.: 100036999
- Mfr. No.: 1-61-01-001
- Cartridge: 5.56 mm NATO
- Colour: Black
- Finish: Anodized
- Style: Stripped
- Weapon type: AR-15
- Delivery weight: 0.816kg
- Shipping height: 51mm
- Shipping width: 235mm
- Shipping length: 540mm
- UPC: 050806113589

## Item details

Made in USA

US export classification: 0A509.b

# Table of Contents

- Startpage
- Safety Instruction Guide for KE Arms KP15 Stripped Lower Receiver
- About Us

# Safety Instruction Guide for KE Arms KP15 Stripped Lower Receiver

## Introduction

Thank you for choosing the KE Arms KP15 Stripped Lower Receiver. This guide provides essential safety instructions and information to ensure the safe use of your product. Please read this guide thoroughly before using the receiver.

## General Safety Guidelines

- Ensure that you are at least 21 years old to purchase and use this product.
- This product is legally classified as a receiver. Ensure compliance with local laws and regulations.
- Always handle firearms and firearm components with care and respect.
- Store the receiver in a secure location, away from children and unauthorized users.
- Regularly check for any recalls or safety notices related to this product.

## Specific Safety Precautions for Use

- **Compatibility:** Use only standard AR15 upper receivers and compatible parts. Do not use the PDQ lever, as it is exclusive to the WWSD complete rifle.
- **Buffer Weight:** Always use a standard carbine buffer and round springs or the JP SCSS in the KP15. Using a buffer weight below 5.4oz can damage the lower receiver.
- **Assembly:** Follow the manufacturer's assembly guide for proper installation. Use of nonstandard components may affect safety and performance.
- **Selector Mechanism:** Use the KE Arms designated milspec or ambi selector for ease of removal and installation.
- **Cerakote Application:** If applying Cerakote, ensure to bake at low temperatures (<190 Degrees F) and with an upper in place to prevent warping.
- **Age Restrictions:** This product is not suitable for individuals under 21 years of age.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that you have all necessary tools and parts before beginning the installation.
- Read the manufacturer's assembly guide thoroughly.

### 2. Installation Steps:

- Attach the buffer tube to the receiver, ensuring it is secure.
- Install the pistol grip, trigger, and buttstock as per the assembly instructions.
- Insert the take down and pivot pins with builtin detents for added durability.
- Ensure the hammer pin area is correctly aligned and secured.

### 3. Usage:

- Always check that the firearm is unloaded before any maintenance or modifications.
- Regularly inspect the receiver and components for wear and damage.
- If any issues are detected, cease use immediately and consult a qualified gunsmith.

## **Disposal Instructions**

- Dispose of the KE Arms KP15 stripped lower receiver in accordance with local regulations regarding firearm components.
- If the receiver is damaged beyond repair, contact your local waste management authority for guidance on safe disposal.

## **Contact Information for Further Support**

For any safety inquiries or further support, please reach out to the manufacturer directly. They can provide additional information and assistance regarding the KE Arms KP15 Stripped Lower Receiver.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on your careful handling and use of this product. Always prioritize safety and compliance with applicable laws.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)