

AR .308 T.R.I.M RAILS M-LOK - WILSON COMBAT AR .308 HANDGUARD 12.6" BLACK M-LOK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The best of both worlds- Wilson Combat's lightweight but rock-solid T.R.I.M rails for AR pattern rifles have been updated with the Magpul M-Lok accessory attachment system. Available in multiple lengths, these new AR handguard rails are among the ultimate in high quality, user-installed modularity. Wilson Combat precision machined three, six, and nine O'clock M-Lok positions enable fast, easy mounting of multiple shooting accessories popular across the shooting industry. In addition to a lighter, sleeker rail profile, the barrel nut design was retained from the original T.R.I.M rail to make it simple for users to easily swap the older T.R.I.M rail design with the M-Lok version. The T.R.I.M. (Tactical Rail Interface, Modular) AR rail has been designed by the Wilson Combat engineering team to be among the lightest, strongest and most versatile compact free-floating rail systems on the market. Machined from high-strength 6005A-T5 aircraft aluminum with a Mil-Spec hard anodized finish, the T.R.I.M. rail handguard / interface and its robust, anti-rotational mounting system won't sacrifice strength, stability or accuracy over bulkier designs. The oversize and tough nitrocarburized 4130 steel barrel attachment nut reduces heat transfer and the ergonomic handguard design offers a sleek, non-abrasive platform for comfortable dynamic shooting. Light, Strong and Compact Free-Floating Rail Design Machined from 6005A-T5 Aluminum Extrusion Mil-Spec Hard Anodized Black Finish Simple, 5-Minute Installation with Common Hand Tools Easily Removed or Replaced in the Field 1.47" Internal Diameter is Compatible with most Low-Profile Gas Blocks Overall weight with attachments: 12.2 oz/ 13.4 oz. Note: The hardened screws used in this handguard are tapered at the base to provide a flush, smooth fit. It is important that during initial installation that a small amount of grease is placed on the tapered shoulder of the screw to prevent screw galling against the softer rail. If a screw siezes and becomes immobile do not attempt removal, please contact Wilson Combat.



Attributes

- Name: [WILSON COMBAT AR .308 HANDGUARD 12.6" BLACK M-LOK](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 100040544
- Mfr. No.: TR-MLOK-AR10-12
- Colour: Black
- Length: 12.6
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR .308
- Delivery weight: 0.635kg
- Shipping height: 89mm
- Shipping width: 140mm
- Shipping length: 457mm
- UPC: 811826026934

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for Wilson Combat AR .308 T.R.I.M Rails MLOK Handguard
- About Us

Safety Instruction Guide for Wilson Combat AR .308 T.R.I.M Rails MLOK Handguard

Introduction

Thank you for choosing the Wilson Combat AR .308 T.R.I.M Rails MLOK Handguard. This guide provides essential safety information and instructions for proper installation and usage to ensure a safe and enjoyable experience with your product.

General Safety Guidelines

- Ensure the handguard is installed correctly to avoid any accidents or malfunctions.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the handguard for any signs of wear or damage before each use.
- Report any unsafe product conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Use the provided screws and hardware for installation. Do not substitute with other parts.
 - Apply a small amount of grease to the tapered shoulder of the screws during installation to prevent galling.
- **Operational Safety:**
 - Ensure the firearm is unloaded before attempting any modifications or installations.
 - Use appropriate protective gear, such as safety glasses and gloves, when handling the product.
- **Handling Precautions:**
 - Avoid placing excessive weight on the handguard to prevent damage.
 - Do not attempt to remove seized screws; contact Wilson Combat for assistance.
- **Environmental Considerations:**
 - Store the handguard in a dry, cool place to prevent corrosion or damage.

Instructions for Installation and Usage

- **Installation Steps:**
 1. Ensure the firearm is unloaded and safe to handle.
 2. Remove the existing handguard (if applicable) by unscrewing the attachment points.
 3. Align the T.R.I.M rail with the barrel nut and ensure it fits securely.
 4. Insert the screws into the designated holes and tighten them using common hand tools.
 5. Apply grease to the tapered shoulder of each screw before final tightening to prevent galling.
 6. Check the installation for stability and ensure all screws are securely fastened.
- **Usage Instructions:**
 - Attach accessories to the Mlok positions as needed, ensuring they are securely mounted.
 - Regularly check the tightness of screws and the condition of the handguard during use.
 - Follow all firearm safety protocols when using your weapon.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the handguard is damaged beyond repair, contact your local waste management facility for proper disposal methods.
- Ensure that all components are disposed of in an environmentally friendly manner.

Contact Information for Further Support

For any questions or concerns regarding the Wilson Combat AR .308 T.R.I.M Rails MLOK Handguard, please refer to the official Wilson Combat website or customer support channels.

By following these guidelines, you can ensure the safe and effective use of your Wilson Combat AR .308 T.R.I.M Rails MLOK Handguard. Thank you for your attention to safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk