

TAPS STANDARD - UNITY TACTICAL TAPS CRANE LASER/CRANE LASER 6", FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

TAPS (Tactical Augmented Pressure Switch) from TNVC and Unity Tactical is a complete one point command and control system for all weapon-mounted electronics. It provides low profile, dual-device control for lights and lasers. TAPS allows placement of weapon accessories in optimal location while providing a single point of actuation of the operator's choosing. Rather than needing to place both light and laser where they can be activated directly, or needing to find places for multiple remote pressure pads while securing loose cables, TAPS literally places control at the operator's fingertips in a single, user-friendly package. TAPS mounts directly to any industry standard rail, including M1913 Picatinny, KEYMOD, and M-LOK. No third party rail adapters are needed, keeping the weapon lighter and sleeker. It features two onboard buttons and two accessory leads. TAPS comes standard with a Surefire Light lead and MIL-Standard / Crane Laser Lead that fits NATO standard lasers from Insight Technology, Steiner, B.E. Meyers, and others. Custom configurations are available for contract (minimums apply). TAPS is waterproof to 1 meter for 30 minutes when properly installed on a rail, and features more durable buttons than many competing pressure switches on the market. Its hardened housing will keep TAPS standing up to the rigors of the battlefield TAPS is a revolutionary paradigm shift in the way weapon-mounted electronic devices are operated. No other product puts this level of customization, command, or control in the operator's hands. It is the most low-profile, most secure, and most durable control station on the market. Welcome to the Modern Battlefield. Mode(s): Momentary Only Weight: 2.25oz w/hardware Waterproof: 1 meter for 30 minutes



Attributes

- Name: [UNITY TACTICAL TAPS CRANE LASER/CRANE LASER 6", FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043389
- Mfr. No.: TAPS-II9F
- Colour: Flat Dark Earth
- Delivery weight: 0.059kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 171mm
- UPC: 859114006861

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TAPS STANDARD UNITY TACTICAL TAPS CRANE LASER/CRANE LASER 6", FDE Safety Instruction Guide](#)
- [About Us](#)

TAPS STANDARD UNITY TACTICAL TAPS CRANE LASER/CRANE LASER 6", FDE Safety Instruction Guide

Introduction

Thank you for choosing the TAPS (Tactical Augmented Pressure Switch) from TNVC and Unity Tactical. This guide provides important safety instructions to ensure the safe use of your product. Please read this guide carefully before installation and usage to maximize safety and performance.

General Safety Guidelines

- The TAPS is designed for use with weaponmounted electronics. Ensure that you are trained and familiar with the operation of such devices.
- Always follow local laws and regulations regarding the use of tactical equipment.
- Inspect the TAPS for any damage or defects before use. Do not use if damaged.
- Keep the product out of reach of children and unauthorized users.
- Ensure that all accessories are compatible with the TAPS before use.
- If you experience any issues with the TAPS, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Electrical Safety:** Ensure that the device is powered off before connecting or disconnecting accessories.
- **Environmental Conditions:** The TAPS is waterproof to 1 meter for 30 minutes when properly installed. Avoid prolonged exposure to water beyond this limit.
- **Pressure Activation:** Use the onboard buttons with care. Excessive force may damage the buttons or affect functionality.
- **Secure Installation:** Ensure that the TAPS is securely mounted on the weapon rail to prevent accidental dislodging during use.
- **Avoid Loose Cables:** Secure all cables to prevent entanglement or snagging during operation.

Instructions for Installation and Usage

1. Installation:

- Ensure that the weapon is unloaded and safe before beginning installation.
- Mount the TAPS directly onto any industrystandard rail, including M1913 Picatinny, KEYMOD, or MLOK.
- Use the provided hardware to secure the TAPS firmly in place.
- Connect the Surefire Light lead and MILStandard / Crane Laser Lead as required.
- Verify that all connections are secure and that there are no loose cables.

2. Usage:

- To activate the light or laser, press the corresponding onboard button.
- For momentary activation, press and hold the button. Release to deactivate.
- Ensure that the TAPS is within easy reach while operating the weapon.
- Regularly check the functionality of the TAPS and accessories to ensure they are operating correctly.

Disposal Instructions

- Dispose of the TAPS in accordance with local regulations for electronic waste.
- Remove all batteries and accessories before disposal.
- Do not dispose of the TAPS in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please contact the manufacturer or authorized distributor. Ensure you have your product details ready for reference.

Thank you for your attention to these safety guidelines. Your safety and the effective operation of the TAPS are our top priorities. Enjoy using your TAPS safely and responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk