

TAPS SYNC - UNITY TACTICAL TAPS SYNC SUREFIRE/LASER 9" FDE VARIANT 4

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

TAPS (Tactical Augmented Pressure Switch) from TNVC and Unity Tactical is a complete one point command and control system for all weapon-mounted electronics. It provides low profile, dual-device control for lights and lasers. TAPS mounts directly to any industry standard rail, including M1913 Picatinny, KEYMOD, and M-LOK. No third party rail adapters are needed, keeping the weapon lighter and sleeker. It features two on-board buttons and two accessory leads. Available in 4 button configurations, TAPS SYNC utilizes a patented double pole dome switch to fire both devices simultaneously on isolated circuits to protect your devices. This TAPS switch comes standard with a Surefire Light lead and MIL-Standard / Crane Laser Lead that fits NATO standard lasers from Insight Technology, Steiner, B.E. Meyers, and others. TAPS is waterproof to 1 meter for 30 minutes when properly installed on a rail, and features more durable buttons than many competing pressure switches on the market. Its hardened housing will keep TAPS standing up to the rigors of the battlefield. TAPS SYNC allows the user to fire two devices simultaneously with one button, and is available in 4 button variations: Variant 1 - Button1: Light | Button2: Light + Laser Variant 2 - Button1: Laser | Button2: Light + Laser Variant 3 - Button1: Light + Laser | Button2: Light Variant 4 - Button1: Light + Laser | Button2: Laser Note: the dual-function SYNC button requires a slightly higher activation force than the standard single device button. Mode(s): Momentary Only Weight: 2.25oz w/hardware Waterproof: 1 meter for 30 minutes



Attributes

- Name: [UNITY TACTICAL TAPS SYNC SUREFIRE/LASER 9" FDE VARIANT 4](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043403
- Mfr. No.: TAPF-SI9F
- Colour: Flat Dark Earth
- Delivery weight: 0.068kg
- Shipping height: 381mm
- Shipping width: 18mm
- Shipping length: 76mm
- UPC: 810007880440

Item details

Made in USA

Table of Contents

- Startpage
- TAPS SYNC UNITY TACTICAL TAPS SYNC SUREFIRE/LASER 9" FDE VARIANT 4 Safety Instruction Guide
- About Us

TAPS SYNC UNITY TACTICAL TAPS SYNC SUREFIRE/LASER 9" FDE VARIANT 4 Safety Instruction Guide

Introduction

Thank you for choosing the TAPS SYNC UNITY TACTICAL TAPS SYNC SUREFIRE/LASER 9" FDE VARIANT 4. This product is designed to provide reliable control for your weaponmounted electronics. To ensure your safety and the optimal performance of the device, please read and follow the guidelines outlined in this manual.

General Safety Guidelines

- Ensure safe use of all nonfood products, including new technologies and online purchases.
- Be aware of risks not addressed by other EU laws.
- If purchasing online, confirm that the platform meets safety requirements similar to physical stores.
- Extra safeguards are in place for vulnerable groups, such as children.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the TAPS SYNC is securely mounted to the weapon rail before use.
- Verify that all connections are properly made to avoid malfunction.
- Do not exceed the specified waterproof limit of 1 meter for 30 minutes.
- Use the device only as intended; avoid modifications or alterations.
- Keep the device out of reach of children and other vulnerable individuals.
- Be cautious of the activation force required for the dualfunction SYNC button, as it is higher than standard buttons.
- Regularly inspect the device for wear and tear, and replace if necessary.

Instructions for Installation and Usage

Installation

1. Mounting:

- Attach the TAPS SYNC directly to any industry standard rail (M1913 Picatinny, KEYMOD, or MLOK).
- Ensure that no thirdparty rail adapters are needed to maintain a lighter and sleeker weapon profile.

2. Connections:

- Connect the Surefire Light lead and MILStandard / Crane Laser Lead to the respective devices.
- Ensure that the connections are secure and free from debris.

Usage

1. Button Configuration:

- Familiarize yourself with the button configurations:
 - **Variant 1:** Button 1 Light | Button 2 Light + Laser
 - **Variant 2:** Button 1 Laser | Button 2 Light + Laser

- **Variant 3:** Button 1 Light + Laser | Button 2 Light
- **Variant 4:** Button 1 Light + Laser | Button 2 Laser

2. Activation:

- Press the appropriate button to activate the desired device.
- For simultaneous activation, use the dualfunction SYNC button as needed.
- Be mindful of the momentary activation mode; release the button to deactivate.

Maintenance

- Regularly check the device for any signs of damage or wear.
- Clean the exterior with a damp cloth; do not use harsh chemicals.
- Store in a dry place when not in use to prevent moisture damage.

Disposal Instructions

- Dispose of the TAPS SYNC in accordance with local regulations for electronic waste.
- Do not dispose of in regular household waste.
- Consider recycling options available in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the TAPS SYNC, please refer to the manufacturer's contact information provided on the packaging or product documentation. Always ensure you have the latest information regarding safety updates and product recalls.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk