

ARCHANGEL SKS OPFOR® PISTOL GRIP CONVERSION STOCKS - PRO MAG SKS PISTOL GRIP CONVER STOCK POLYMER OLIVE DRAB

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The Archangel® OPFOR® AASKS conversion stock for the SKS rifle and carbine offers the convenience of a pistol grip stock with an adjustable length of pull and adjustable cheek riser. The forend is aggressively contoured for positive weapon control. An ergonomically correct pistol grip with grooved and textured front and back straps enhance weapon control and reduces fatigue. There is a locking storage compartment in the grip. The f position collapsible stock features a seven position adjustable cheek riser, and a f position length of pull and is equipped with a removable soft rubber recoil pad. Three steel, QD hard points are embedded to accept QD style sling swivels (sling swivels not included). Constructed of legendary high strength, carbon fiber and glass reinforced olive drab polymer, the stock super tough and will stand a lifetime of hard use. Lifetime warranty. 922(r) Compliant. Made in USA. Fits the SKS rifle and carbine F (4) position collapsible stock Seven (7) position adjustable cheek riser with a travel of 1.875" Three (3) steel quick detach hard points (sling swivels not included) Standard loop and push button quick detach sling points Constructed of legendary high strength, carbon fiber and glass reinforced olive drab polymer Forend is aggressively contoured for positive weapon control Ergonomically correct pistol grip Grip storage compartment Adjustable length of pull of 12.875" - 14.5" Removable recoil pad Overall Length: 30.125" Weight: 2.13 pounds 922(r) compliant Lifetime Warranty* Made in USA



Attributes

- Name: [PRO MAG SKS PISTOL GRIP CONVER STOCK POLYMER OLIVE DRAB](#)
- Manufacturer: [PRO MAG](#)
- Product no.: 100053759
- Mfr. No.: AASKS-OD
- Colour: Olive Drab
- Material: Polymer
- Style: Adjustable
- Weapon type: SKS
- Weight: 2.13 lbs
- Delivery weight: 2.359kg
- Shipping height: 108mm
- Shipping width: 279mm
- Shipping length: 940mm
- UPC: 708279011856

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Archangel SKS OPFOR® Pistol Grip Conversion Stocks Safety Instruction Guide](#)
- [About Us](#)

Archangel SKS OPFOR® Pistol Grip Conversion Stocks Safety Instruction Guide

Introduction

Thank you for choosing the Archangel® OPFOR® AASKS conversion stock for your SKS rifle and carbine. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU General Product Safety Regulations (GPSR). Please read this safety instruction guide carefully to ensure safe and proper use.

General Safety Guidelines

- Always handle firearms with care and treat every firearm as if it is loaded.
- Ensure that the conversion stock is compatible with your specific SKS model before installation.
- Inspect the product for any damage or defects before use.
- Keep the conversion stock and all related equipment out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Regularly check for updates on safety recalls or product alerts via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use only the recommended sling swivels with the QD hard points.
- Ensure that the adjustable length of pull is set correctly for your comfort and safety before use.
- Always use the removable recoil pad to minimize discomfort and enhance control during firing.
- Avoid using the conversion stock in extreme weather conditions that may affect performance.
- Store the conversion stock in a secure location when not in use.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Gather all necessary tools and ensure you are working in a clean, dry environment.
- Ensure the firearm is unloaded and safe to handle.

2. Remove the Existing Stock:

- Follow the manufacturer's guidelines to safely detach the original stock from your SKS rifle or carbine.

3. Install the Archangel® OPFOR® AASKS Conversion Stock:

- Align the conversion stock with the receiver of the SKS.
- Securely attach the stock using the provided screws and tools, ensuring all connections are tight.

4. Adjust the Length of Pull:

- Adjust the length of pull to your desired setting (12.875" 14.5") by following the manufacturer's instructions.

5. Adjust the Cheek Riser:

- Set the cheek riser to one of the seven positions according to your preference for optimal sight

alignment.

6. Final Inspection:

- Doublecheck all connections and adjustments to ensure the stock is securely attached and functioning properly.

Usage Instructions

- Before each use, perform a safety check to ensure the firearm is unloaded.
- When firing, maintain a firm grip on the ergonomically designed pistol grip to enhance control and reduce fatigue.
- Utilize the locking storage compartment in the grip for secure storage of small items.
- After use, clean the conversion stock according to the manufacturer's recommendations to maintain its durability.

Disposal Instructions

- Dispose of the product in accordance with local regulations for plastic and polymer materials.
- Do not incinerate or expose the product to extreme heat, as this may release harmful substances.
- If the product is damaged or no longer usable, ensure it is disposed of in a way that prevents accidental use.

Contact Information for Further Support

For any inquiries or concerns regarding the Archangel® OPFOR® AASKS conversion stock, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can enjoy the benefits of the Archangel® OPFOR® AASKS conversion stock while ensuring your safety and the safety of others. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk