

AR-15 FASTBACK RECEIVER EXTENSION MIL-SPEC

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tubes](#)

An Easy Extension That Allows for Instant Deployment

Thanks to CMMG's unique Fastback Receiver Extension, you can now instantly deploy your stock or stabilizing brace to the exact position you need it from its collapsed position. Designed to accept all mil-spec buffer tubes, the Personal Position Preset system gives you several different lengths to choose from. All you have to do is set the indexing screw into the hole of your choice to set your preferred length. Once it's adjusted, simply pull the brace or stock to the rear, and the Fastback Receiver Extension will allow the unit to slide rearward until it hits the screw, and you're locked into place and ready to shoot! Each CMMG Fastback Receiver Extension is machined from aluminum and treated with a hardcoat-anodized finish. The extension allows for six different position settings, and the unit comes with the necessary P3 adjustment screw.



Attributes

- Name: [AR-15 FASTBACK RECEIVER EXTENSION MIL-SPEC](#)
- Manufacturer: [CMMG](#)
- Product no.: 100054310
- Mfr. No.: 55CA93E
- Make: AR-15
- Style: Adjustable
- Delivery weight: 0.122kg
- Shipping height: 38mm
- Shipping width: 13mm
- Shipping length: 3mm
- UPC: 810046230572

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Fastback Receiver Extension
- About Us

Safety Instruction Guide for AR15 Fastback Receiver Extension

Introduction

Thank you for choosing the AR15 Fastback Receiver Extension by CMMG. This product is designed to enhance your shooting experience by providing adjustable positioning for your stock or stabilizing brace. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that you are familiar with the operation of your firearm before using this product.
- Use this product only in accordance with the manufacturer's instructions.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of damage or wear.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Store your firearm and accessories in a secure location when not in use.

Specific Safety Precautions for Use

- Ensure the indexing screw is securely fastened before using the Fastback Receiver Extension.
- Do not attempt to adjust the length of the receiver extension while the firearm is loaded.
- Avoid placing any foreign objects in the receiver extension to prevent malfunction.
- Use only milspec buffer tubes with this product to ensure compatibility and safety.
- Be cautious when adjusting the position of the stock or brace; ensure your fingers are clear of moving parts.
- If you experience any resistance when adjusting the extension, stop and check for obstructions or misalignment.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Necessary Tools:** You will need a standard buffer tube wrench and the P3 adjustment screw provided with your Fastback Receiver Extension.
2. **Remove Existing Receiver Extension:**
 - Unload your firearm and ensure it is safe to work on.
 - Remove the existing receiver extension from your AR15 by unscrewing it from the lower receiver.
3. **Install the Fastback Receiver Extension:**
 - Screw the Fastback Receiver Extension onto the lower receiver, ensuring it is securely attached.
 - Tighten the extension using the buffer tube wrench, but do not overtighten.
4. **Set the Personal Position Preset:**
 - Choose your preferred position length by selecting the desired hole for the indexing screw.
 - Insert the P3 adjustment screw into the selected hole and tighten it securely.

Usage Instructions

1. Deploying the Stock or Brace:

- To deploy the stock or brace, pull it rearward from its collapsed position.
- The Fastback Receiver Extension will allow it to slide rearward until it reaches the indexing screw.

2. Locking into Place:

- Once the stock or brace reaches the indexing screw, it will lock into place.
- Ensure that it is securely locked before using the firearm.

3. Adjusting the Position:

- If you wish to change the position, simply pull the stock or brace rearward and release it to allow it to slide back to the indexing screw.
- Repeat the process to select a new length by changing the position of the indexing screw.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling materials where possible to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or support related to the AR15 Fastback Receiver Extension, please refer to the manufacturer's contact details provided in the product packaging or visit the official website.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your AR15 Fastback Receiver Extension. Always prioritize safety and responsible handling of firearms. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at