

ZEROED 60™ SAFETY SELECTOR - CMMG ZEROED 60 SAFETY SELECTOR

[Rifle Parts](#) > [Safety Parts](#) > [Safeties](#)

ZEROED 60° Safety Selector The CMMG® ZEROED™ Safety Selector offers shooters 60° short throw operation instead of the traditional 90°. Transitions from safe to fire are quick! Sturdy construction along with the stylized lever serrations provides confident operation with a striking design.



Attributes

- Name: [CMMG ZEROED 60 SAFETY SELECTOR](#)
- Manufacturer: [CMMG](#)
- Product no.: 100400303
- Mfr. No.: 55CA734
- Delivery weight: 0.016kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 165mm
- UPC: 810046234808

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- ZEROED 60™ SAFETY SELECTOR Safety Instruction Guide
- About Us

ZEROED 60™ SAFETY SELECTOR Safety Instruction Guide

Introduction

Congratulations on your purchase of the CMMG® ZEROED™ 60 Safety Selector. This product is designed to enhance your shooting experience by providing a 60° short throw operation for quick transitions from safe to fire. It is essential to follow the safety guidelines outlined in this manual to ensure safe and effective use.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure you are familiar with the operation of your firearm and the ZEROED 60 Safety Selector.
- Only use the safety selector with compatible firearms as specified by the manufacturer.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and safety selector in a secure location away from children and unauthorized users.
- Regularly inspect the safety selector for any signs of wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or adjusting the safety selector.
- Avoid using the safety selector in adverse weather conditions that may affect its operation.
- Do not attempt to modify or disassemble the safety selector.
- Always ensure that your hands are dry and free from oil or grease when operating the safety selector.
- Use proper eye and ear protection when handling firearms.
- If you experience any difficulties with the safety selector, cease use immediately and seek assistance.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is completely unloaded.
2. Remove the existing safety selector according to the firearm's manual.
3. Insert the ZEROED 60 Safety Selector into the designated slot.
4. Secure the safety selector in place according to the manufacturer's instructions.

Usage

- To engage the safety, rotate the selector to the 'Safe' position.
- To disengage the safety, rotate the selector to the 'Fire' position.
- Practice operating the safety selector in a safe environment to become familiar with its function.

Disposal Instructions

- Dispose of the safety selector in accordance with local regulations.
- Do not dispose of the safety selector in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the ZEROED 60 Safety Selector, please refer to the manufacturer's website or contact their customer service for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your CMMG® ZEROED™ 60 Safety Selector. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk