

# **HUNTER REMINGTON 700 ULT MUZZLELOADER LA PICATINNY SCOPE MOUNT - EGW REM 700 ULT MUZZLELOADER LA 1-PIECE PICATINNY BASE 20 MOA**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Introducing the newest addition to the EGW lineup: The Hunter series picatinny scope mount. EGW saw the need for a shorter, lighter, heavy duty, picatinny scope mount and this is what they came up with. After countless hours of prototyping and testing, the Hunter mount was born. Featuring: 7075 T6 aluminum for an extremely durable yet lightweight construction. Type III hardcoat anodizing protects the mount from whatever nature can throw at it. Chamfered edges provide a snag free hunt. A compact overall length sheds 15% of its weight compared to our other Heavy Duty mounts. This mount comes standard with a bevel on both sides making it ambidextrous. The bolt pattern on the Remington 700 Long Action mount fits Long Action Remington 700 rifles (example 30-06, 300 Win mag), as well as the 740 and 40x. Despite what you may have heard, the Remington 700 mount will NOT fit your Howa 1500 or Weatherby Vanguard. The bolt pattern is similar, but the remainder of the mount (ejection port, length, etc.) renders it useless on these two guns. EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. EGW's one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. They machine these in our shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). EGW recommends: 0 MOA - if shooting 0-500 yards 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA. This mount fits: Bergara B14 Long Action (#6 Screws) Bergara Premier Long Action (#8 Screws) Remington 700 Long Action Remington 700 Long Action (#8 Screws) Remington 700 Long Action Police Tactical (#8 Screws) Remington 721 Long Action Remington 725 Long Action Christensen Arms Long Action Mauser M18 (All Calibers) Sauer 100 (All Calibers) Sauer 101 (All Calibers)



## **Attributes**

- Name: [EGW REM 700 ULT MUZZLELOADER LA 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000715
- Mfr. No.: 50102
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: 700
- Number of Bases: 1-Piece

- Style: Picatinny Rail
- Weapon type: Remington
- Delivery weight: 0.057kg
- UPC: 841370117130

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for HUNTER REMINGTON 700 ULT MUZZLELOADER LA PICATINNY SCOPE MOUNT
- About Us

# Safety Instruction Guide for HUNTER REMINGTON 700 ULT MUZZLELOADER LA PICATINNY SCOPE MOUNT

## Introduction

Thank you for choosing the HUNTER REMINGTON 700 ULT MUZZLELOADER LA PICATINNY SCOPE MOUNT. This guide is designed to provide you with important safety information, installation instructions, and guidelines for the proper use of this product. Please read this guide carefully to ensure safe and effective use of your scope mount.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the scope mount.
- Use the scope mount only with compatible firearms as specified in the product description.
- Inspect the mount regularly for signs of wear or damage.
- Ensure that all screws and fittings are tightened to the recommended torque specifications.
- Store the scope mount in a dry, clean environment to prevent corrosion and damage.
- Keep the product out of reach of children and unauthorized users.
- Report any accidents or unsafe conditions to the appropriate authorities.

## Specific Safety Precautions for Use

- **Compatibility:** Ensure that the mount is compatible with your firearm model. Refer to the list of compatible firearms provided in the product description.
- **Installation:** Follow the installation instructions carefully to avoid improper mounting, which can lead to accidents.
- **Torque Specifications:** Use a torque wrench to tighten the mounting screws to the recommended specifications (20 inch lbs). Overtightening can damage the mount or firearm.
- **Loctite Use:** Apply a drip of blue loctite to the screws to prevent loosening during use. Loctite is sold separately.
- **Zeroing:** When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards.
- **Iron Sights:** The mount may not obstruct the usage of factory iron sights, but verify this before use.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a torque wrench, appropriate screws, and blue loctite.

### 2. Installation:

- Align the Picatinny base with the mounting points on your firearm.
- Insert the screws into the mounting holes.
- Tighten the screws gradually using a torque wrench to the specified torque of 20 inch lbs.
- Apply a small amount of blue loctite to each screw to secure them in place.

### 3. Usage:

- After installation, check the stability of the scope mount by gently attempting to move it.
- Attach your scope rings and scope according to the manufacturer's instructions.

- Ensure that all accessories are securely mounted and do not interfere with the operation of the firearm.

#### 4. Zeroing the Scope:

- Follow the manufacturer's instructions for zeroing your scope.
- Use the 20 MOA elevation adjustment for longrange shooting as recommended.

## Disposal Instructions

- Dispose of the scope mount and packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, use designated recycling or hazardous waste collection points if applicable.

## Contact Information for Further Support

For any inquiries related to safety concerns, product compatibility, or installation assistance, please reach out to the appropriate support channels as needed. Always ensure that you have the latest information regarding recalls or safety notices for your product.

Thank you for prioritizing safety and for choosing our product. Enjoy your hunting experience with the HUNTER REMINGTON 700 ULT MUZZLELOADER LA PICATINNY SCOPE MOUNT!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)