

AR-15 HANDGUARDS M-LOK 5.56MM - FORWARD CONTROLS DESIGN AR-15 HANDGUARD 12.7 IN. M-LOK BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

AR-15 HANDGUARDS M-LOK 5.56MM RHF (Railed Handguard, Forward Controls) is based on the superb CMT UHPR Mod2, with full length 1913 rails at 12 o'clock, and MLOK at 3, 6, and 9 o'clock. RHF is machined from 6000 series extruded aluminum, its barrel nut is machined from 7075 aluminum, both are Type 3 anodized, while the rail mounting hardware is machined from 17-4 PH (patent pending). RHF also incorporates anti-rotation tabs. RHF's inside diameter is 1.315" and compatible with most low-profile gas blocks. Barrel nut diameter is 1.378", barrel nut wrench is included. SPECS: Barrel nut torque: milspec 40-70ft/lbs Rail clamp screws torque: 45 inc/lbs. AR15/M16 free float handguards Full length 1913 rail at 12 o'clock MLOK at 3, 6 and 9 o'clock Available lengths: 6.7", 12.7" and 13.7". Weight by length: .45 lb, .7 lb and .725 lb RHF incorporates design input from Forward Controls, the changes include: Barrel cooling vents changed to the classic round shape. One might say they're paying homage to Knight's Armament's RAS and RIS where meaningful modular revolution began. Simplification of the already understated aesthetics of the CMT UHPR Mod 2 handguard.



Attributes

- Name: [FORWARD CONTROLS DESIGN AR-15 HANDGUARD 12.7 IN. M-LOK BLACK](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103548
- Mfr. No.: RHF, 12.8
- Colour: Black
- Length: 12.7"
- Material: Aluminum
- Style: M-LOK
- Type: -
- Weapon type: AR-15
- Delivery weight: 0.499kg
- Shipping height: 102mm
- Shipping width: 102mm
- Shipping length: 356mm
- UPC: 687408648715

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Handguards MLOK 5.56MM](#)
- [About Us](#)

Safety Instruction Guide for AR15 Handguards MLOK 5.56MM

Introduction

Thank you for choosing the AR15 Handguards MLOK 5.56MM from Forward Controls Design. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully to understand how to use, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that all firearms are unloaded when installing or handling the handguard.
- Always follow the manufacturer's instructions for installation and usage.
- Store the handguard in a safe place, out of reach of children and unauthorized users.
- Regularly inspect the handguard for any signs of wear or damage before use.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Use only compatible accessories and attachments with the handguard to prevent accidents.
- Do not exceed the recommended torque specifications when installing the barrel nut and rail clamp screws.
- Avoid exposing the handguard to extreme temperatures or harsh chemicals that may cause damage.
- Always wear appropriate eye and ear protection when using firearms equipped with this handguard.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation of the Handguard

- Ensure the firearm is unloaded and the chamber is clear.
- Remove the existing handguard if applicable.
- Install the barrel nut by following the torque specifications (milspec 4070 ft/lbs).
- Attach the handguard to the barrel nut, ensuring it is properly aligned.
- Secure the rail clamp screws with a torque of 45 in/lbs.
- Verify that the handguard is securely installed and does not rotate.

2. Usage of the Handguard

- Familiarize yourself with the handguard's features, including the MLOK slots and rail positions.
- Attach accessories as needed, ensuring they are securely mounted.
- Regularly check the tightness of all screws and attachments before use.
- Clean the handguard with a soft cloth to remove dirt and debris, avoiding harsh solvents.

Disposal Instructions

- Dispose of the handguard in accordance with local regulations regarding aluminum recycling.
- If the product is damaged beyond repair, ensure that it is rendered unusable before disposal to prevent accidents.

Contact Information for Further Support

For any safety inquiries or support regarding the AR15 Handguards MLOK 5.56MM, please refer to the manufacturer's contact information provided with your product.

Please remember to report any unsafe products or accidents to the appropriate authorities and check for recall updates on the EU's Safety Gate platform. Your safety and satisfaction are our priority. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk