

STANDARD MAGAZINE FLOOR PLATE FOR GLOCK - FORWARD CONTROLS DESIGN GLOCK MAGAZINE FLOOR PLATE, STANDARD

[Magazines](#) > [Handgun Magazines](#) > [Magazine Parts](#) > [Magazine Floorplates](#)

MFP-G (Magazine Floor Plate, Glock) is a replacement floor plate/base plate for Glock 9mm and .40 cal double column magazines. Machined from solid 6061 aluminum and hard coat Type III anodized, it is available in either standard or flared versions. MFP-G was designed and made for duty and defense applications. Its lines and shape are dictated by the functions it was designed to perform, its looks are subtle and modest, but for the flutes on the sides and a tastefully small and hard to find Cygnus logo engraved on the bottom, it's difficult to tell it apart from a factory Glock magazine floor plate. There will be no red, white or blue anodized variants of MFP-G. Most Glocks have a semi circular cutout at the rear base of the grip to enable users to manually strip the magazine from the grip/magazine well should it fail to drop free. G17M and G19M also have the semi circular cutout in front of the base of the grip. MFP-G improves on this built-in Glock feature by giving the magazine a front lip a reverse angle that's missing on factory Glock magazine floor plates, the simple and subtle change provides the user with ample surface area and positive grasping space to manually strip/pull the magazine away from the weapon by using the front and back bottom of the magazine. Should the user choose to grasp and pull the magazine from the sides, MFP-G also provides two long and wide flutes along the sides that are essentially coarse serrations. There's no right or wrong way to strip and pull the magazine, MFP-G provides the user the means to do so from accessing the magazine's front and rear, or left and right. Length: 1.717 . Glock Gen 5 factory magazine floor plate is 1.701 for reference Width: 1.132. Glock Gen 3 factory magazine plate is 1.300. Weight: 0.47 oz (MFP-G, Standard)



Attributes

- Name: [FORWARD CONTROLS DESIGN GLOCK MAGAZINE FLOOR PLATE, STANDARD](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103590
- Mfr. No.: MFP, G, STANDARD
- Colour: Black
- Weapon type: Glock
- Delivery weight: 0.404kg
- Shipping height: 20mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 688201997482

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Consumer Safety Instruction Guide for STANDARD MAGAZINE FLOOR PLATE FOR GLOCK \(MFPG\)](#)
- [About Us](#)

Consumer Safety Instruction Guide for STANDARD MAGAZINE FLOOR PLATE FOR GLOCK (MFPG)

Introduction

Thank you for choosing the STANDARD MAGAZINE FLOOR PLATE FOR GLOCK (MFPG) by Forward Controls Design. This guide provides essential safety information to ensure the proper and safe use of your product. Please read this document carefully before using the MFPG.

General Safety Guidelines

- Ensure that the MFPG is compatible with your Glock model (9mm and .40 cal double column magazines).
- Always handle firearms and accessories with care and follow all safety protocols.
- Keep the MFPG and all firearm accessories out of reach of children.
- Regularly inspect the MFPG for signs of wear or damage before each use.
- If the MFPG shows any signs of damage or malfunction, discontinue use immediately and consult a qualified gunsmith.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always ensure that your firearm is unloaded before installing or removing the MFPG.
- Do not use the MFPG if it has been modified or altered from its original design.
- Avoid using excessive force when stripping or pulling the magazine to prevent injury.
- Use the MFPG as intended, following all manufacturer instructions.
- Be aware of your surroundings when removing or handling magazines to avoid accidental discharge.

Instructions for Installation and Usage

1. Installation of MFPG:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing magazine floor plate from the Glock magazine by pressing the release tab.
- Align the MFPG with the magazine base and press it into place until it clicks securely.
- Verify that the MFPG is properly attached by gently tugging on it.

2. Usage of MFPG:

- To remove the magazine, grasp the front and back bottom of the magazine and pull firmly.
- Alternatively, grasp the sides of the magazine using the flutes for a secure grip.
- If the magazine does not drop free, manually strip it from the grip by using the front lip of the MFPG.
- Always ensure the magazine is clear of obstructions before reloading.

Disposal Instructions

- Dispose of the MFPG responsibly in accordance with local regulations.
- Do not dispose of the MFPG in regular household waste.
- Contact local waste management authorities for proper disposal methods for aluminum products.

Contact Information for Further Support

For any questions or concerns regarding the MFPG, please consult the manufacturer's website or customer support channels. It is important to have access to reliable information regarding the safe use and maintenance of your product.

Thank you for your attention to these safety guidelines. Your safety and the safety of others depend on the responsible use of this product. Always prioritize safety and compliance with local laws and regulations when handling firearms and accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk