

# **MOUNT FOR TRIJICON MRO OPTIC - ARISAKA DEFENSE MOUNT FOR TRIJICON MRO OPTIC 1.7" HEIGHT, TAN**

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

**MOUNT FOR TRIJICON MRO OPTIC** The Patent Pending Arisaka Trijicon MRO Mount is designed for the Trijicon MRO optic. The low profile, minimalist design and 7075-T651 aluminum construction with MIL-A-8625 Type III hard coat anodizing ensures strength and durability. The Arisaka Trijicon MRO Mount is available in 1.70" with tan hard coat anodizing. Many people find this height provides the perfect balance between heads up orientation and enough cheekweld to be consistent, which is evident in the rising popularity of 1.70" scope mounts. Each mount is CNC machined from 7075-T651 aluminum and clear anodized hard coat 7075 that provides the tan color. Anodizing colors may slightly vary from part to part and batch to batch, and is completely normal. Includes all necessary screws and tools to attach optic to mount. Recommended torque values: Picatinny clamp - 50 inch lbs (5.7 Nm) Optic to mount - 11.9 inch lbs (1.35 Nm) Weight: 1.70" - 3.0 oz Made in the USA.

NO IMAGE  
AVAILABLE

## **Attributes**

- Name: [ARISAKA DEFENSE MOUNT FOR TRIJICON MRO OPTIC 1.7" HEIGHT, TAN](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104526
- Mfr. No.: OM-MRO-17-TN
- Colour: Tan
- Fits / Used For: Trijicon
- Height: 1.7"
- Weight: 3 lbs
- Delivery weight: 0.181kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 89mm
- UPC: 601557940223

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Arisaka Defense Mount for Trijicon MRO Optic
- About Us

# Safety Instruction Guide for Arisaka Defense Mount for Trijicon MRO Optic

## Introduction

Thank you for choosing the Arisaka Defense Mount for Trijicon MRO Optic. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your mount. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure the mount is compatible with your Trijicon MRO optic before installation.
- Inspect the mount and all components for any damage or defects before use.
- Use the mount only for its intended purpose as specified in this guide.
- Keep the mount out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Installation Safety:**
  - Always follow the installation instructions carefully to avoid improper mounting.
  - Use the recommended torque values to prevent overtightening, which may damage the mount or optic.
- **Weight Limit:**
  - Do not exceed the weight limit specified for the mount to maintain safety and performance.
- **Environmental Considerations:**
  - Avoid exposure to extreme temperatures, moisture, and corrosive environments that may affect the mount's integrity.
- **Usage Safety:**
  - Ensure that the optic is securely attached to the mount before use.
  - Regularly check the mount and optic for any signs of wear or looseness during use.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including the included screws and torque wrench.
- Ensure the work area is clean and free from distractions.

### 2. Installation Steps:

- Align the mount with the Picatinny rail on your firearm.
- Insert the screws through the mount into the rail and tighten them using the torque wrench.
- Apply the recommended torque values:
  - Picatinny clamp: 50 inch lbs (5.7 Nm)
  - Optic to mount: 11.9 inch lbs (1.35 Nm)
- Confirm that the mount is securely attached and does not wobble.

### 3. Using the Mount:

- Once installed, attach the Trijicon MRO optic to the mount according to the manufacturer's instructions.
- Ensure that the optic is properly aligned and secured before using the firearm.

## Disposal Instructions

- Dispose of the mount and any packaging materials responsibly.
- Follow local regulations for the disposal of aluminum and other materials.
- Do not dispose of the mount in regular household waste if it is damaged or deemed unsafe.

## Contact Information for Further Support

For any inquiries regarding safety or product support, please reach out to your retailer or manufacturer. Ensure that you have your product details available for a more efficient response.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)