

QUICK DETACH MOUNT FOR M-LOK HANDGUARD - ARISAKA DEFENSE QUICK DETACH MOUNT FOR M-LOK HANDGUARDS

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Description The Arisaka QD Mount is a low profile design for M-Lok handguards. It features an anti-rotation interface and accepts all standard QD sling swivels, as well as the Geissele/ALG Defense forged QD sling swivel. Height: 0.375" Weight: 0.3 oz The mount is CNC machined from 6061-T651 aluminum and MIL-A-8625 Type III hard coat anodized. Requires a 5/32" Allen wrench for installation (not included). Made in the USA.



Attributes

- Name: [ARISAKA DEFENSE QUICK DETACH MOUNT FOR M-LOK HANDGUARDS](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104544
- Mfr. No.: QD-M-FDE
- Colour: Flat Dark Earth
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 601557940131

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [QUICK DETACH MOUNT FOR MLOK HANDGUARD SAFETY INSTRUCTIONS](#)
- [About Us](#)

QUICK DETACH MOUNT FOR MLOK HANDGUARD

SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Arisaka Defense Quick Detach Mount for MLOk Handguards. This product is designed to provide a secure and efficient mounting solution for your tactical needs. Please read this safety instruction guide carefully to ensure proper installation, usage, and disposal of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure safe use of the product by following all instructions provided in this guide.
- Be aware of potential hazards associated with improper installation or usage.
- Check for recall updates on the EU's Safety Gate platform to stay informed about safety issues related to this product.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Keep this instruction manual for future reference.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Use a 5/32" Allen wrench for installation. Ensure that the wrench is in good condition to avoid slipping.
 - Do not overtighten the mount, as this may damage the MLOk handguard or the mount itself.
- **Usage Safety:**
 - Ensure that the mount is securely attached before use.
 - Regularly inspect the mount for signs of wear or damage.
 - Do not use the mount if it is damaged or if you notice any unusual movement during use.
- **Child Safety:**
 - Keep the product and its components out of reach of children to prevent accidental injury.
 - This product is not intended for use by children.

Instructions for Installation and Usage

1. Installation:

- Gather the necessary tools, including a 5/32" Allen wrench.
- Locate the MLOk slots on your handguard.
- Align the Quick Detach Mount with the desired slot.
- Insert the screws provided with the mount into the MLOk slots.
- Use the Allen wrench to tighten the screws until the mount is secure. Do not overtighten.

2. Usage:

- Attach your QD sling swivel to the mount.
- Ensure that the sling swivel is properly secured and rotates freely.
- Regularly check the mount and sling swivel for secure attachment during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and aluminum waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum components when possible.

Contact Information for Further Support

For any inquiries or further support regarding this product, please refer to the contact information provided by your retailer or manufacturer. Ensure that you have your purchase details ready for reference.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk