

S15 9MM LUGER MAGAZINE FOR GLOCK 43X/48 GEN3 - SHIELD ARMS S15 9MM LUGER 15RD MAGAZINE FOR GLOCK 43X/48 GEN3 BLACK

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

The S15 magazine is a patent-pending, flush-fitting 15 round magazine for the Glock® 43X and Glock® 48. The S15 is a steel magazine, and is the same length as the OEM Glock® 10 round magazine, but holds an additional 5 rounds. Increased Capacity, Same Reliability What changed with the gen 3 magazine? We made the following improvements: New US-based manufacturer Modular tooling, allowing us to make the S15 and S10 magazines simultaneously Raised ribs on the back of the magazine allows us to fully match the OEM magazine position in the mag well, which should eliminate any tolerance stacking that results from Glock frame variations New steel, new coating, new heat treat process - our new steel is slightly thicker, tougher, and now comes with a new standard black nitrocarburized QPQ finish for a high degree of corrosion resistance. Mag Catch Requirement It is required to swap out your plastic OEM mag catch with either our standard steel mag catch or our premium steel mag catch. Here's why. If you don't swap your mag catch you may have reliability issues. If you use another manufacturer's mag catch you may have reliability issues. S15 magazines were designed to work with Shield Arms steel mag catches. Specifications 15 round capacity Same length as an OEM Glock 43X/48 magazine Easy to remove, impact resistant base pad High lubricity finish options Made in the USA Patent-pending



Attributes

- Name: [SHIELD ARMS S15 9MM LUGER 15RD MAGAZINE FOR GLOCK 43X/48 GEN3 BLACK](#)
- Manufacturer: [SHIELD ARMS](#)
- Product no.: 430105953
- Mfr. No.: SA-S15-NC-GEN3
- Capacity: 15-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Material: Steel
- Model: 43X,45
- Weapon type: Glock
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 850029544999

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for S15 9MM Luger Magazine for Glock 43X/48
- About Us

Safety Instruction Guide for S15 9MM Luger Magazine for Glock 43X/48

Introduction

Thank you for choosing the S15 9MM Luger Magazine for your Glock 43X or Glock 48. This guide provides essential safety instructions to ensure the safe and effective use of your magazine. Please read this guide carefully before using the product.

General Safety Guidelines

- Always handle firearms and ammunition with care.
- Ensure the magazine is compatible with your specific firearm model (Glock 43X or Glock 48).
- Inspect the magazine for any damage before use.
- Store magazines and ammunition in a secure location, away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm and ammunition storage and usage.
- Regularly check for updates on product safety and recalls through the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Mag Catch Requirement:**
 - It is mandatory to replace your plastic OEM mag catch with either the standard steel mag catch or the premium steel mag catch provided by Shield Arms.
 - Failure to do so may result in reliability issues during use.
- **Compatibility:**
 - Only use Shield Arms steel mag catches with S15 magazines.
 - Using mag catches from other manufacturers may compromise safety and reliability.
- **Installation:**
 - Ensure the magazine is securely locked in place before use.
 - Do not attempt to modify the magazine or its components.
- **Capacity Awareness:**
 - The S15 magazine has a capacity of 15 rounds. Do not exceed this capacity.
- **Inspection:**
 - Regularly inspect the magazine for wear or damage. Replace if necessary.

Instructions for Installation and Usage

1. Installation of the Magazine:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing OEM magazine from your Glock 43X or Glock 48.
- Insert the S15 magazine into the magazine well until it clicks into place.
- Confirm that the magazine is securely locked in position.

2. Loading the Magazine:

- Use only 9mm Luger cartridges when loading the magazine.
- Load the magazine by pressing down on the follower to create space for additional rounds.
- Ensure that the rounds are properly aligned and seated within the magazine.

3. Usage:

- Always follow safe firearm handling practices when using your Glock 43X or Glock 48.

- After firing, ensure the magazine is removed and cleared of any remaining rounds.
- Store the magazine in a safe and secure location when not in use.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations.
- If the magazine is damaged or no longer usable, do not attempt to repair it. Instead, follow local guidelines for the disposal of firearms accessories.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please refer to the manufacturer's website or customer support resources.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your S15 9MM Luger Magazine for Glock 43X/48. Always prioritize safety and compliance with local laws when handling firearms and ammunition. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk