

# **S15 9MM LUGER MAGAZINE FOR GLOCK 43X/48 GEN3 - SHIELD ARMS S15 9MM LUGER 15RD MAG W/+2 RD EXTENSION-GLOCK 43X/48 G3 BLK**

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

The S15 magazine is a patent-pending, flush-fitting 15 round magazine for the Glock® 43X and Glock® 48. The S15 is a steel magazine, and is the same length as the OEM Glock® 10 round magazine, but holds an additional 5 rounds. Increased Capacity, Same Reliability What changed with the gen 3 magazine? We made the following improvements: New US-based manufacturer Modular tooling, allowing us to make the S15 and S10 magazines simultaneously Raised ribs on the back of the magazine allows us to fully match the OEM magazine position in the mag well, which should eliminate any tolerance stacking that results from Glock frame variations New steel, new coating, new heat treat process - our new steel is slightly thicker, tougher, and now comes with a new standard black nitrocarburized QPQ finish for a high degree of corrosion resistance. Mag Catch Requirement It is required to swap out your plastic OEM mag catch with either our standard steel mag catch or our premium steel mag catch. Here's why. If you don't swap your mag catch you may have reliability issues. If you use another manufacturer's mag catch you may have reliability issues. S15 magazines were designed to work with Shield Arms steel mag catches. Specifications 15 round capacity Same length as an OEM Glock 43X/48 magazine Easy to remove, impact resistant base pad High lubricity finish options Made in the USA Patent-pending



## **Attributes**

- Name: [SHIELD ARMS S15 9MM LUGER 15RD MAG W/+2 RD EXTENSION-GLOCK 43X/48 G3 BLK](#)
- Manufacturer: [SHIELD ARMS](#)
- Product no.: 430106227
- Mfr. No.: S15-ME-2INS-G3-
- Capacity: 17-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Material: Steel
- Model: 43X,48
- Weapon type: Glock
- Delivery weight: 0.122kg
- Shipping height: 152mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 850029545965

## **Item details**

Made in USA

US export classification: 0A501.d

# Table of Contents

- Startpage
- S15 9MM LUGER MAGAZINE FOR GLOCK 43X/48 GEN3 SAFETY INSTRUCTIONS
- About Us

# S15 9MM LUGER MAGAZINE FOR GLOCK 43X/48 GEN3 SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the S15 9MM Luger Magazine for your Glock 43X or Glock 48. This safety instruction guide is designed to ensure the safe use of your magazine and to comply with the EU General Product Safety Regulation (GPSR). Please read this document carefully before using the product.

## General Safety Guidelines

- Ensure the magazine is compatible with your firearm model (Glock 43X or Glock 48).
- Always handle firearms and ammunition with care and follow all safety rules.
- Store the magazine in a safe place, away from children and unauthorized users.
- Regularly inspect the magazine for any signs of damage or wear.
- Use only approved ammunition with the magazine to avoid malfunctions.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Mag Catch Requirement:** It is mandatory to swap out your plastic OEM mag catch with either the standard steel mag catch or the premium steel mag catch provided by Shield Arms. Failing to do so may lead to reliability issues.
- **Compatibility:** Ensure that you are using Shield Arms steel mag catches for optimal performance.
- **Installation:** Improper installation can lead to malfunctions. Follow the installation instructions closely.
- **Handling:** Always treat the magazine as if it is loaded. Keep your finger off the trigger until ready to shoot.
- **Vulnerable Groups:** Keep the magazine out of reach of children and individuals who may not understand its use.

## Instructions for Installation and Usage

### 1. Installation:

- Remove the existing plastic OEM mag catch from your Glock 43X or 48.
- Install the Shield Arms steel mag catch by following the manufacturer's instructions.
- Ensure the mag catch is securely fitted and functioning properly before use.

### 2. Loading the Magazine:

- Insert the desired number of rounds into the magazine, ensuring they are seated correctly.
- Do not exceed the magazine's capacity as this can cause malfunctions.

### 3. Using the Magazine:

- Insert the magazine into the magazine well of your Glock 43X or 48 until it clicks into place.
- Ensure the magazine is fully seated before attempting to fire.

### 4. Maintenance:

- Regularly clean the magazine according to the manufacturer's recommendations.
- Check for any signs of wear or damage and replace the magazine if necessary.

## Disposal Instructions

- When disposing of the magazine, ensure that it is completely empty of ammunition.
- Follow local regulations for the disposal of firearm accessories.
- Do not dispose of the magazine in regular household waste. Instead, consider recycling options available in your area.

## Contact Information for Further Support

For any inquiries regarding the safety and use of the S15 9MM Luger Magazine, please consult the manufacturer's website or customer support channels.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on responsible handling and use of your S15 magazine.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)