

AT OPTIC MOUNTS - BRAVO COMPANY BCM 1.93" AT OPTIC MOUNT FOR TRIJICON MRO

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

BCM® A/T™ Optic Mounts Capability in the face of the unexpected and catastrophic, the BCM A/T Mount is built in anticipation of a "no fail" shot that will save another human life. PERFORMANCE WITHOUT PEER Improving on Mil-Spec rail interfaces dating back over 30 years, the BCM A/T mount delivers unprecedented zero retention on a properly mounted red dot optic. Low profile and snag-free, BCM A/T Mounts are built with a minimal number of components - delivering a stronger component with less points of failure, ready to take on dynamic and adverse settings. Each A/T Mount features multiple integral recoil lugs to mitigate recoil and counter recoil to preserve your zero and ensure "no fail" shots are placed where intended by the trained rifleman. Starting at 2.15 oz, each 7075T6 billet mount is hard coat anodized per Mil-A-8625F. Additionally, both the steel alloy clamp and nut are hardened with Nitride coating. THE ANGLED TORQUE™ LOCK-UP A/T (Angled Torque) mounts employ angled torque through a patented* clamp which applies triangulating force to create a stronger and more reliable lock up of the mount onto the end user's rail. To retain the hardware in field conditions, this system uses a serrated locking spring-washer to prevent the loss of torque on the shaft nut. With an equivalent load applied, the A/T Mount delivers approximately twice the clamping force at the picatinny rail, versus a legacy horizontal interface. * US Patent D973.826, and other patents pending THE FLEET The A/T fleet is built optimized for both a variety of missions and proven red dot optics. Aimpoint® T-2, T-1 and CompM5 series: The Marksman lower 1/3 co-witness The Close Combat 1.93" Trijicon® MRO® The Marksman lower 1/3 co-witness The Close Combat 1.93" MADE IN AMERICA All BCM components and accessories unite state of the art manufacturing with lightweight and durable materials to ensure components that last a lifetime, performing far beyond performance requirements established nearly six decades ago. Aimpoint, T-2, T-1, CompM5 trademarks are property of Aimpoint Inc. Trijicon, MRO trademarks are property of Trijicon Inc.



Attributes

- Name: [BRAVO COMPANY BCM 1.93" AT OPTIC MOUNT FOR TRIJICON MRO](#)
- Manufacturer: [BRAVO COMPANY](#)
- Product no.: 430106546
- Mfr. No.: BCM-OM-AT-272
- Colour: Black
- Fits / Used For: Trijicon MRO
- Height: 1.93"
- Delivery weight: 0.454kg
- Shipping height: 70mm
- Shipping width: 102mm
- Shipping length: 114mm
- UPC: 812526023865

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AT OPTIC MOUNTS BRAVO COMPANY BCM 1.93" AT OPTIC MOUNT FOR TRIJICON MRO
- About Us

Safety Instruction Guide for AT OPTIC MOUNTS

BRAVO COMPANY BCM 1.93" AT OPTIC MOUNT

FOR TRIJICON MRO

Introduction

Thank you for choosing the BCM A/T™ Optic Mount. This guide provides important safety instructions and usage information to ensure the safe and effective use of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the BCM A/T Optic Mount is compatible with your Trijicon MRO optic before installation.
- Always inspect the mount for any signs of damage or wear before use. If any damage is found, do not use the product.
- Use the optic mount only for its intended purpose as specified in the product description.
- Keep the mount and all components out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of firearms and optics.

Specific Safety Precautions for Use

- Ensure that the optic is securely mounted to prevent it from loosening during use, which could lead to misalignment or failure.
- Avoid using the mount in extreme conditions (e.g., high humidity, extreme temperatures) unless specified as suitable by the manufacturer.
- Do not modify or alter the mount in any way, as this may compromise its integrity and safety.
- When not in use, store the mount in a dry, secure location to prevent damage.
- Always wear appropriate safety gear, including eye protection, when using firearms equipped with the optic mount.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Clean the mounting surface of the Picatinny rail to remove any debris or contaminants.
- Align the BCM A/T Optic Mount with the desired position on the rail.
- Use the provided hardware to secure the mount to the rail. Ensure that the clamp is tightened according to the manufacturer's specifications.
- Check that the mount is securely attached and does not move when force is applied.

2. Usage:

- Before each use, check the mount for tightness and proper alignment.
- When aiming, ensure that your sight picture is clear and the optic is properly zeroed.
- If you notice any changes in the performance of the optic or mount, cease use immediately and inspect for issues.

Disposal Instructions

- Dispose of the BCM A/T Optic Mount and any associated components in accordance with local regulations.
- Do not dispose of the mount in regular household waste. Instead, consider recycling options where

available.

Contact Information for Further Support

For any inquiries or concerns regarding the BCM A/T Optic Mount, please refer to the manufacturer's website or customer service resources for assistance.

Conclusion

Your safety is paramount. By following the instructions and guidelines provided in this manual, you can ensure that the BCM A/T Optic Mount is used safely and effectively. Always stay informed about product recalls and safety updates through official channels. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk