

# SIDELOK MOUNT FOR LEUPOLD DELTAPOINT PRO - KINETIC DEVELOPMENT GROUP LLC SIDELOK MOUNT QD FULL CO-WIT FOR LEUPOLD DELTAPOINT PRO BLK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Direct mount for Leupold DeltaPoint Pro or any optic with a similar footprint that offers an absolute co-witness and the Sidelok Advantage of toolless QD that maintains and returns to zero. Sidelok is a groundbreaking Quick Detach (QD) mounting system for optics. It eliminates the need for tools, levers, or oversized knobs, offering a simple push button design for securely mounting any optic to a picatinny rail. The system guarantees to maintain zero and ensures continuous return to zero when remounted in the same position as when the optic was zeroed. With an additional safety feature to prevent unintentional movement or detachment of the optic, Sidelok represents the future of optics mounts. SPECS: Width: 1.10" Length: 2.825" Weight: 2.7 ounces Features: Absolute Co-witness Finish: Black Anodized Compatibility: ADE Advanced Optics RD3-018 Spike | ADE Advanced Optics RD3-021 Nuwa | JP Enterprises JPoint | Leupold DeltaPoint Pro | Shield RMS | Shield RMSc | Shield RMSw | Shield RMSx | Shield SMS | Shield SMS 2.0 | Shield SMSc | Sig Sauer Romeo Zero | Sightmark Mini Shot A-Spec M3 | Swampfox Sentinel 1x16 | UTG OP3 Mini Micro |



## Attributes

- Name: [KINETIC DEVELOPMENT GROUP LLC SIDELOK MOUNT QD FULL CO-WIT FOR LEUPOLD DELTAPOINT PRO BLK](#)
- Manufacturer: [KINETIC DEVELOPMENT GROUP LLC](#)
- Product no.: 430107999
- Mfr. No.: SID5-250
- Colour: Black
- Weight: 0.169 lbs
- Delivery weight: 0.091kg
- Shipping height: 32mm
- Shipping width: 99mm
- Shipping length: 146mm
- UPC: 851064007821

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Sidelok Mount for Leupold DeltaPoint Pro
- About Us

# Safety Instruction Guide for Sidelok Mount for Leupold DeltaPoint Pro

## Introduction

Thank you for choosing the Sidelok Mount for Leupold DeltaPoint Pro by Kinetic Development Group LLC. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and usage to avoid potential hazards.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose as a mounting system for optics.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the mount for any signs of wear or damage before use.
- Do not attempt to modify or repair the mount; contact a professional for assistance.
- Always follow the manufacturer's recommendations for compatible optics.
- If you experience any issues with the mount, cease use immediately and consult this guide or a professional.

## Specific Safety Precautions for Use

- **Toolless Quick Detach (QD):** Ensure the mount is securely attached to the picatinny rail before use. A loose mount may cause the optic to detach unexpectedly.
- **Zero Maintenance:** After mounting, check that the optic maintains zero. If it does not, remount the optic according to the instructions in this guide.
- **Safety Feature:** The Sidelok system includes a safety feature to prevent unintentional movement. Ensure this feature is engaged when the mount is in use.
- **Compatibility:** Only use optics that are compatible with the Sidelok Mount. Refer to the compatibility list provided in the product specifications.
- **Weight Limits:** Be aware of the weight limits of the mount. Exceeding these limits may compromise the mount's integrity.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Picatinny Rail:** Ensure the rail is clean and free of debris.
2. **Align the Mount:** Position the Sidelok Mount on the desired location of the picatinny rail.
3. **Secure the Mount:**
  - Press the QD button to open the mount.
  - Place the mount onto the rail and release the button to secure it.
  - Ensure the mount is tightly locked in place.
4. **Attach the Optic:**
  - Align the optic with the mount.
  - Follow the manufacturer's instructions for attaching the optic securely.

### Usage

- **Check Zero:** After installation, check that the optic is properly zeroed. If adjustments are needed, follow the optic manufacturer's guidelines.
- **Regular Inspections:** Periodically check the mount to ensure it remains secure and that there are no signs of damage.
- **Safe Handling:** Always handle the firearm with care and follow all safety protocols related to firearm usage.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options available in your area.

## Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the manufacturer's website or contact their customer service team.

By following these guidelines, you can ensure the safe and effective use of your Sidelok Mount for Leupold DeltaPoint Pro. Thank you for your attention to safety and compliance with these instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)