

M-LOK QUICK DETACH (QD) SLING MOUNT - KINETIC DEVELOPMENT GROUP LLC M-LOK QUICK DETACH SLING MOUNT BLACK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

The M-LOK QD Sling Mount provides an attachment point for push-button QD slings. This low-profile M-LOK QD Sling Mount features beveled edges to reduce snagging and has an anti-rotation design that prevents swivel mounts from unnecessary rotation. SPECS: Overall length: 1.3 in MLOK coverage: 1 section Material: Aircraft grade aluminum alloy Anti-rotation Hardware included Made in the USA



Attributes

- Name: [KINETIC DEVELOPMENT GROUP LLC M-LOK QUICK DETACH SLING MOUNT BLACK](#)
- Manufacturer: [KINETIC DEVELOPMENT GROUP LLC](#)
- Product no.: 430108008
- Mfr. No.: TAP5-100
- Colour: Black
- Material: Aluminum
- Type: M-LOK
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 851064007982

Item details

Made in USA

Table of Contents

- Startpage
- MLOK Quick Detach (QD) Sling Mount Safety Instruction Guide
- About Us

MLOK Quick Detach (QD) Sling Mount Safety Instruction Guide

Introduction

Thank you for choosing the MLOK Quick Detach (QD) Sling Mount by Kinetic Development Group LLC. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of the product. Please read this guide carefully before using the sling mount.

General Safety Guidelines

- Ensure compatibility with your equipment before installation.
- Regularly inspect the sling mount for signs of wear or damage.
- Do not exceed the recommended weight limit for the sling mount.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents related to the sling mount to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Always follow the installation instructions provided in this guide.
 - Ensure that the mount is securely attached before use.
- **Weight Limit:**
 - Do not exceed the recommended weight capacity of the sling mount.
- **Swivel Rotation:**
 - Ensure that the antirotation feature is functioning correctly to prevent unintended movement.
- **Environmental Considerations:**
 - Avoid using the sling mount in extreme weather conditions that may affect its performance.
- **Maintenance:**
 - Regularly check the mount for loose screws or components, and tighten them as necessary.

Instructions for Installation and Usage

Installation Instructions

1. **Prepare the Surface:** Ensure the MLOK rail surface is clean and free from debris.
2. **Align the Sling Mount:** Position the sling mount on the desired MLOK section.
3. **Insert the Screws:** Using the provided antirotation hardware, insert the screws into the MLOK slots.
4. **Tighten Securely:** Use an appropriate tool to tighten the screws until secure, ensuring the mount does not move.
5. **Check Installation:** Verify that the mount is firmly attached and does not rotate.

Usage Instructions

- Attach your pushbutton QD sling to the mounted sling point.
- Ensure the sling is securely attached before using the equipment.
- Regularly check the sling attachment for security during use.

Disposal Instructions

- Dispose of the sling mount in accordance with local regulations.
- If the product is damaged beyond repair, recycle materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MLOK Quick Detach Sling Mount, please reach out to the designated EU contact point. Ensure to keep this guide for future reference.

Thank you for prioritizing safety while using the MLOK Quick Detach Sling Mount. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk