

HOST RING SIGHTS FOR HENRY - XS SIGHT SYSTEMS HENRY HOST RING SIGHT SET .44 CALIBER DOVETAIL

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

The XS Ghost Ring WS hunting sights pairs with XS Lever Rail HN-6000R-N to offer improved accuracy and faster sight acquisition in a rugged all-steel design. Fits Henry .357 with round barrel and screw on front sight. Does not fit models with front sight blade dovetailed directly into the barrel. Precision machined in Fort Worth, TX. XS Ghost Ring WS is fully adjustable for windage and elevation and comes with two apertures, .230" and .191" inside diameter, for different lighting conditions. The large Ghost Ring affords great field of view for fast target acquisition. The XS White Stripe (WS) front sight replaces the existing blade and ramp and features a blued steel body with a painted white stripe face. White on black front post is highly visible in all lighting conditions, as well as provides contrast against any color background. Due to moving the rear sight from the barrel to the receiver, some zeroing issues might arise. Alternate front sight heights are available and covered under XS' No Questions Asked Warranty. For use with Lever Rail only.



Attributes

- Name: [XS SIGHT SYSTEMS HENRY GHOST RING SIGHT SET .44 CALIBER DOVETAIL](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109200
- Mfr. No.: HN-0006-5
- Colour: Black
- Model: Big Boy
- Style: Ghost Ring
- Weapon type: Henry
- Delivery weight: 0.227kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533001403

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for GHOST RING SIGHTS FOR HENRY XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for GHOST RING SIGHTS FOR HENRY XS SIGHT SYSTEMS

Introduction

Thank you for choosing the GHOST RING SIGHTS FOR HENRY XS SIGHT SYSTEMS. This guide provides essential safety information, usage instructions, and contact details for support. Please read this guide carefully to ensure safe and effective use of your product.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the sight.
- Use the sight only with compatible firearms as specified in the product description.
- Keep the sight and firearm out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear, damage, or misalignment.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the Ghost Ring sight is securely attached to the Lever Rail before use.
- Be aware that moving the rear sight from the barrel to the receiver may lead to zeroing issues.
- Use the sight only in conditions that are suitable for the apertures provided (.230" and .191" inside diameter).
- Do not attempt to modify or repair the sight yourself. Consult a professional if repairs are needed.
- Always wear appropriate eye and ear protection when using firearms equipped with this sight.

Instructions for Installation and Usage

Installation

- Gather Tools:** Ensure you have the necessary tools for installation, including a screwdriver.
- Prepare the Firearm:** Make sure the firearm is unloaded and pointed in a safe direction.
- Remove Existing Sight:** If applicable, carefully remove the existing front sight blade.
- Attach the Ghost Ring Sight:** Align the Ghost Ring sight with the dovetail mount and secure it in place.
- Adjust for Fit:** Ensure the sight is properly fitted and does not wobble.
- Verify Alignment:** Check that the sight is aligned with the barrel before tightening screws.

Usage

- Familiarize yourself with the sight's adjustments for windage and elevation.
- Adjust the sight according to your shooting conditions and preferences.
- Practice using the sight in a safe environment to become proficient in target acquisition.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and firearm accessories.
- Do not dispose of the sight in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the GHOST RING SIGHTS, please refer to the manufacturer's contact details provided in the product packaging or visit the manufacturer's website.

By following these guidelines, you can ensure a safe and enjoyable experience with your GHOST RING SIGHTS FOR HENRY XS SIGHT SYSTEMS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk