

1911 9MM LUGER FLAT WIRE RECOIL SPRING - ED BROWN 1911 GOVERNMENT 9MM LUGER 13# FLAT WIRE RECOIL SPRING

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

The flat wire spring for 1911 handguns is a must for any handgun enthusiast or full time shooter. Manufactured from Chrome Silicon alloy to maximize spring longevity and load. The longest lasting handgun recoil spring made - up to ten times greater service life than a conventional coil spring. Other benefits of switching from conventional round wire to flatwire include improved cycling and more tolerant to a wider variety of loads. Intended for use with our flat wire guide rod system. Recommended spring replacement at 30,000-40,000 rounds. Will not work with a standard recoil spring guide and plug, only the flat wire guide rod and plug.



Attributes

- Name: [ED BROWN 1911 GOVERNMENT 9MM LUGER 13# FLAT WIRE RECOIL SPRING](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 430109540
- Mfr. No.: 913-FW-9G
- Model: Government
- Pounds: 13 lbs
- Weapon type: 1911
- Delivery weight: 0.227kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 800732913001

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 9MM Luger Flat Wire Recoil Spring](#)
- [About Us](#)

Safety Instruction Guide for 1911 9MM Luger Flat Wire Recoil Spring

Introduction

Thank you for choosing the 1911 9MM Luger Flat Wire Recoil Spring by ED Brown. This product has been designed to enhance the performance of your 1911 handgun. Please read this safety instruction guide carefully to ensure safe and effective use.

General Safety Guidelines

- Always handle firearms with care and treat them as if they are loaded.
- Ensure you are familiar with the operation of your firearm before installation.
- Store the recoil spring in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the recoil spring for signs of wear or damage.
- Follow all local laws and regulations regarding firearms and their components.

Specific Safety Precautions for Use

- This recoil spring is intended for use with the ED Brown flat wire guide rod system only.
- Do not attempt to use this spring with a standard recoil spring guide and plug.
- Recommended replacement interval is every 30,000 to 40,000 rounds to maintain optimal performance.
- Ensure that you are using the correct weight (13 lbs) for your specific firearm model.
- Be aware that improper installation may lead to malfunction or damage to your firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch tool and a flat wire guide rod.

2. Installation

- Remove the existing recoil spring and guide rod from your firearm.
- Insert the flat wire recoil spring onto the flat wire guide rod.
- Ensure the spring is seated properly and aligned with the guide rod.
- Reinstall the guide rod and recoil spring assembly into the firearm, following the manufacturer's instructions for your specific model.

3. Usage

- After installation, perform a function check to ensure the firearm operates correctly.
- Regularly clean and maintain your firearm, including the recoil spring and guide rod, to ensure longevity.
- Monitor the performance of the recoil spring during use and replace it if you notice any degradation in function.

Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations for metal waste.
- Do not dispose of the recoil spring in regular household waste.
- Consider recycling the spring if possible, or contact your local waste management facility for guidance.

Contact Information for Further Support

For any safety inquiries or concerns regarding the 1911 9MM Luger Flat Wire Recoil Spring, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure safe and effective use of the 1911 9MM Luger Flat Wire Recoil Spring. Always prioritize safety and proper handling of your firearm. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk