

MARLIN 1895 ELG MLOK HANDGUARDS - MAGPUL ELG HAND GUARD M-LOK FOR MARLIN 1895 FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Enhanced Lever Gun (ELG) M-LOK Hand Guard is a lever-action handguard designed to optimize the functionality of the Marlin 1895-pattern series of lever-action rifles. The handguard is 12" long and attaches to the firearm using a patented mechanism that only requires the user to remove the OEM or other manufactured hand guard and end cap. The ELG Handguard has six (6) M-LOK slots at the 3, 6, and 9 o'clock positions for mounting a host of accessories to help shooters make the most out of their classic hunting or home-defense rig. If a shooter wants the adaptability of the M-LOK system but wants to keep the firearm's clean look while improving purchase on the gun when firing modern, heavy-recoiling .45-70 Gov't rounds, the ELG Handguard is compatible with both Type 1 and Type 2 Rail Covers. The ELG has an integrated hand stop at the front of the handguard. The ELG Hand Guard currently fits ONLY Marlin 1895-pattern guns with the hand guard retaining cap. It will not fit 1894/336 pattern guns without modifications and will require a dovetail hand guard tenon to be added to any gun using a barrel band to retain the OEM hand guard. Quick and easy installation M-LOK slots to mount accessories Integrated handstop for safety and improved accuracy 12" length Made in the USA. COMPATIBILITY The ELG hand guard currently fits ONLY Marlin 1895-pattern guns, including pre-Ruger and Remington-built Marlin rifles, with the hand guard retaining cap. It will not fit 1894/336 pattern guns without modifications and will require a dovetail hand guard tenon to be added to any gun using a barrel band to retain the OEM hand guard.



Attributes

- Name: [MAGPUL ELG HAND GUARD M-LOK FOR MARLIN 1895 FDE](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 430110093
- Mfr. No.: MAG1381-FDE
- Colour: Flat Dark Earth
- Length: 12"
- Material: Polymer
- Type: M-LOK
- Delivery weight: 0.354kg
- Shipping height: 330mm
- Shipping width: 76mm
- Shipping length: 76mm
- UPC: 840815147794

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- MARLIN 1895 ELG MLOK HANDGUARDS MAGPUL ELG HAND GUARD MLOK FOR MARLIN 1895 FDE Safety Instruction Guide
- About Us

MARLIN 1895 ELG MLOK HANDGUARDS MAGPUL ELG HAND GUARD MLOK FOR MARLIN 1895 FDE Safety Instruction Guide

Introduction

Thank you for choosing the MARLIN 1895 ELG MLOK Handguards. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your new handguard. Please read this manual carefully before installation and use to maximize your safety and enjoyment.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the handguard.
- Inspect the handguard for any visible damage or defects before use.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Keep the handguard and all firearms out of reach of children and unauthorized users.
- Use appropriate personal protective equipment (PPE) when handling firearms, including eye and ear protection.
- Be aware of your surroundings and ensure a safe environment when using firearms.

Specific Safety Precautions for Use

- Ensure the handguard is compatible with your specific Marlin 1895 pattern firearm. It is designed to fit ONLY Marlin 1895 pattern guns with a hand guard retaining cap.
- Do not attempt to fit the handguard on 1894/336 pattern guns without proper modifications.
- When using MLOK slots for accessory mounting, ensure all accessories are securely attached to avoid accidents.
- Always check that the integrated hand stop is properly positioned to prevent slipping during use.
- Avoid using the firearm with heavy recoiling .4570 Gov't rounds if the handguard is not installed correctly.
- If you notice any unusual behavior or performance while using the firearm with the handguard, cease use immediately and inspect for issues.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including appropriate screwdrivers.

2. Removing the OEM Hand Guard:

- Carefully remove the existing hand guard and end cap from your Marlin 1895 firearm as per the manufacturer's instructions.

3. Installing the ELG Handguard:

- Align the ELG Handguard with the firearm's mounting points.
- Securely attach the handguard using the patented mechanism, ensuring it is firmly in place.

4. Mounting Accessories:

- Utilize the six (6) MLOK slots located at the 3, 6, and 9 o'clock positions for accessory mounting.

- Follow the manufacturer's instructions for any accessories being added.

5. Final Checks:

- Once installed, doublecheck that the handguard and all accessories are secure.
- Ensure the integrated hand stop is correctly positioned.

6. Regular Maintenance:

- Periodically inspect the handguard and accessories for wear or damage.
- Clean the handguard as needed to maintain performance and appearance.

Disposal Instructions

- Dispose of the handguard responsibly, following local waste disposal regulations.
- If the handguard is damaged beyond use, consider recycling materials where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding your MARLIN 1895 ELG MLOK Handguards, please refer to the product packaging or visit the manufacturer's website for additional resources and support.

By following these guidelines, you can ensure a safe and enjoyable experience with your MARLIN 1895 ELG MLOK Handguards. Always prioritize safety and compliance with local regulations when handling firearms and accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk