

MARLIN 1895/1894/336 ELG MLOK BUTTSTOCKS - MAGPUL ELG M-LOK STOCK FOR MARLIN 1895/1894/336 FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The ELG M-LOK Stock is designed to provide Marlin lever-action rifle shooters a stock with maximum adaptability that optimizes their iconic firearm. With adjustable length-of-pull (LOP) and comb height for various types of optics, storage of extra ammunition or accessories in a weatherized portion of the stock, and the ability to attach various Magpul M-LOK accessories and slings, Magpul brings new capability to the lever- action rifle. The stock allows for a one and a half (1.5") inches of overall LOP adjustment (from 12.5" to 14.0" in 0.5" increments. The stock ships with a cheek riser and 2 x 0.25" shims for a total comb height adjustment of 0.75", which attaches to the internal storage compartment door. The stock has an internal storage area, complete with a quiver for six (6) .45-70 Gov't or 30-30 Win cartridges, and an open storage compartment insert. The stock also accepts Type 1 or Type 2 QD cups for a mounting a sling, and two (2) M-LOK slots reside on each side of the stock for further accessory mounting options such as an ammo saddle. Rounding out the stock's state-of-the-art feature set is a sling swivel located in the bottom of the pistol grip which allows for shorter slings and a higher muzzle-down carry option. Adjustable LOP (1.5" total adjustability in 0.5" increments) and comb height (0.75" total adjustability in 0.25" increments) On-board ammo storage that is modifiable to other storage needs Includes both a quiver for six (6) .45-70 Gov't or 30-30 Win cartridges and an open storage compartment insert M-LOK slots for accessories Proprietary recoil pad Sling-swivel on pistol grip allows for easy carry COMPATIBILITY - The stock is compatible with the Marlin 1895, 1894, and 336 receivers. Pre-Ruger® and Remington-built Marlin rifles are compatible with this stock. Cheek Height Adjustment Range - Adjustable by 1/4" increments to 0.75" with cheek riser and spacers LOP Adjustment Range - 12.5" - 14.0", in half-inch increments Length - 12.4 in. Length, max -13.9 in. Height, max - 5.2 in. Weight - 1.25 lbs, at max LOP and no cheek risers Width, max - 1.5 in.



Attributes

- Name: [MAGPUL ELG M-LOK STOCK FOR MARLIN 1895/1894/336 FDE](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 430110096
- Mfr. No.: MAG1382-FDE
- Colour: Flat Dark Earth
- Material: Polymer
- Model: 1894,1895,336
- Style: Adapter
- Weapon type: Marlin
- Weight: 1.25 lbs
- Delivery weight: 0.964kg
- Shipping height: 132mm
- Shipping width: 38mm
- Shipping length: 318mm
- UPC: 840815147824

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- MARLIN 1895/1894/336 ELG MLOK BUTTSTOCKS MAGPUL ELG MLOK STOCK SAFETY INSTRUCTIONS
- About Us

MARLIN 1895/1894/336 ELG MLOK BUTTSTOCKS MAGPUL ELG MLOK STOCK SAFETY INSTRUCTIONS

Introduction

Thank you for purchasing the MARLIN 1895/1894/336 ELG MLOK Buttstock. This guide provides essential safety instructions and guidelines to ensure the safe use of your new stock. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the stock is compatible with your Marlin rifle model (1895, 1894, or 336).
- Always handle firearms and firearm accessories with care and responsibility.
- Follow all local laws and regulations regarding firearm safety and storage.
- Inspect the stock regularly for any signs of wear or damage.
- Store the firearm in a secure location, away from children and unauthorized users.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.

Specific Safety Precautions for Use

- Do not exceed the recommended length of pull (LOP) adjustments.
- Ensure that the cheek riser and shims are securely attached before use.
- Only use the stock with compatible ammunition (.4570 Gov't or 3030 Win).
- Avoid using the stock for purposes other than its intended use.
- Always use the sling swivel according to the manufacturer's instructions to avoid accidents.
- If you notice any malfunction or abnormality during use, stop using the stock immediately and consult a professional.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing stock by following the manufacturer's instructions.
- Align the ELG MLOK stock with the receiver and secure it using the provided hardware.
- Adjust the LOP and comb height as needed.
 - LOP can be adjusted from 12.5" to 14.0" in 0.5" increments.
 - Comb height can be adjusted up to 0.75" using the cheek riser and shims.

2. Usage:

- Familiarize yourself with the stock's features, including the internal storage area and MLOK slots for accessories.
- Store ammunition in the designated quiver or open compartment.
- When using the sling swivel, ensure it is securely attached and that the sling is appropriate for your carrying needs.
- Regularly check the tightness of all attachments and adjustments before use.

Disposal Instructions

- Dispose of the stock in accordance with local regulations.
- If the stock is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the stock in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the MARLIN 1895/1894/336 ELG MLOK Buttstock, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your new Marlin stock. Thank you for prioritizing safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk