

SLIDES WITH RMR CUT FOR GLOCK 17® - BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Enhanced Slide With Integral Red Dot Mounting Slot + Ergonomic/Performance Upgrades Our RMR Slide for Glock® 17 Gen3 pistols is just the ticket to upgrade for your factory G17 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 17 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 17, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit holsters for the standard Glock® 17. Fits Gen3 Glock® 17 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Optic slot cover plate & recoil spring assembly also included Factory front/rear iron sights installed Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G17 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 17 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: [BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111308
- Mfr. No.: G17-WSA
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17

- Sights: RMR
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.454kg
- UPC: 050806001626

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 17® BROWNEULLS BRN WINDOW SLIDE ASSEMBLY
- About Us

Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN WINDOW SLIDE ASSEMBLY

Introduction

Thank you for choosing the SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN WINDOW SLIDE ASSEMBLY. This guide provides essential safety information and instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the slide assembly by adhering to all safety instructions. This product is designed for use with Glock 17 Gen3 pistols and compatible frames only.
- **Enhanced Recalls:** Stay informed about any potential recalls. If a recall is issued, follow the instructions provided for returning or remedying the product.
- **Online Shopping:** If purchased online, ensure that the seller complies with all safety requirements as mandated by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by individuals under the age of 18. Keep out of reach of children.
- **EU Contact Point:** For any safety inquiries regarding this product, please refer to the designated EU contact point.
- **Rapid Alerts:** Be proactive in checking the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is unloaded before installing the slide.
 - Use appropriate tools to avoid damage during installation.
- **Handling Precautions:**
 - Always handle firearms with care and respect.
 - Keep your finger off the trigger until ready to shoot.
- **Shooting Precautions:**
 - Wear appropriate eye and ear protection when shooting.
 - Be aware of your surroundings and ensure a safe shooting environment.
- **Maintenance Precautions:**
 - Regularly inspect the slide for wear and tear.
 - Clean the slide as per the manufacturer's recommendations to ensure optimal performance.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock 17 Gen3 pistol is unloaded and pointed in a safe direction.
- Gather necessary tools, including a channel liner installation tool if required.

2. Installation:

- Remove the factory slide from the pistol frame.
- Install the channel liner into the new slide using the recommended tool (#777100017).
- Align the new slide with the frame and gently press it into place.
- Ensure that the slide is securely mounted and functions smoothly.

3. Mounting a Red Dot Sight:

- If using a reflex sight, remove the cover plate from the precut slot.
- Align the sight with the mounting slot and secure it according to the sight manufacturer's instructions.

4. Final Checks:

- After installation, manually cycle the slide to ensure proper function.
- Check that the front and rear iron sights are correctly aligned.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the slide assembly needs to be disposed of, follow local electronic waste disposal regulations to ensure safe and environmentally friendly disposal.

Contact Information for Further Support

For any questions or concerns regarding the SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN WINDOW SLIDE ASSEMBLY, please refer to the appropriate contact channels provided by the manufacturer or retailer.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk