

DPB MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

DPB MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

DPB MUZZLE BRAKES These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.600" Atlas XL Adapter Overrun Approximately 0.750" Black Nitride Finish (67 HRC Surface Hardness) Shims Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC DPB MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111373
- Mfr. No.: 10018
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850035804209

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [DPB Muzzle Brake Safety Instructions](#)
- [About Us](#)

DPB Muzzle Brake Safety Instructions

Introduction

Thank you for choosing the DPB Muzzle Brake from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and guidelines for the proper use and installation of your muzzle brake, ensuring a safe and effective experience.

General Safety Guidelines

- Always read and understand this manual before using the product.
- Ensure the muzzle brake is compatible with your firearm and its specifications.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for signs of wear or damage.
- Report any unsafe product conditions or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that all surfaces are clean before installation.
- Use an alignment rod to confirm proper setup of the muzzle brake.
- Always torque the muzzle device to approximately 30 ft lbs.
- Confirm that the muzzle device is square against the shoulder before use.
- When attaching the silencer, ensure that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs and ensure proper alignment.
- Using the muzzle brake with a Q can may void your warranty. Exercise caution.
- The nitride finish enhances sealing; proper installation is crucial for safety.

Instructions for Installation and Usage

1. Preparation

- Clean all surfaces of the muzzle device and firearm.
- Gather necessary tools, including a torque wrench and alignment rod.

2. Installation

- Align the muzzle brake with the barrel's shoulder.
- Use the alignment rod to ensure correct positioning.
- Torque the muzzle brake to approximately 30 ft lbs.
- Apply Rockset to secure the muzzle device to the barrel.

3. Attaching the Silencer

- Clean the threads and tapers of both the muzzle device and the silencer.
- Carefully screw the silencer onto the muzzle device.
- Torque the suppressor to 10 ft lbs.

4. Final Checks

- Verify that the muzzle device is square against the shoulder.
- Conduct a final inspection to ensure all components are secure and aligned.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the product is damaged or no longer in use, follow local disposal guidelines for metal products.
- Ensure that the product is rendered unusable before disposal to prevent unauthorized use.

Contact Information for Further Support

For any inquiries or support regarding the DPB Muzzle Brake, please refer to the contact information provided by your retailer or manufacturer.

Thank you for your attention to these safety guidelines. Enjoy the performance and reliability of your DPB Muzzle Brake.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk