

# DPB MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

## DPB MUZZLE BRAKE 0.29 5/8-24 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

DPB MUZZLE BRAKES These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.600" Atlas XL Adapter Overrun Approximately 0.750" Black Nitride Finish (67 HRC Surface Hardness) Shims Included



### Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC DPB MUZZLE BRAKE 0.29 5/8-24 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111376
- Mfr. No.: 10155
- Caliber: 30 Caliber (.308)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850041491547

### Item details

Made in USA

# Table of Contents

- Startpage
- DPB Muzzle Brake Safety Instructions
- About Us

# DPB Muzzle Brake Safety Instructions

## Introduction

Thank you for choosing the DPB Muzzle Brake from Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety. Please read this guide carefully to understand the proper use, installation, and safety precautions associated with this product.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before installation or maintenance.
- Use protective eyewear when handling firearms and muzzle devices.
- Keep the muzzle brake and firearm pointed in a safe direction at all times.
- Be aware of your surroundings and ensure that no unauthorized persons are nearby when using the firearm.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Alignment:** Always use an alignment rod to ensure that the muzzle brake and firearm are properly aligned.
- **Torque Specifications:**
  - Torque the muzzle device to approximately 30 ftlbs.
  - Ensure that the muzzle device is square against the shoulder.
  - When installing the suppressor, torque it to 10 ftlbs.
- **Cleanliness:** Ensure that all surfaces, threads, and tapers are clean before installation to avoid improper sealing.
- **Warranty Warning:** Using the muzzle brake with a Q can void your warranty. Please be aware of this before proceeding.
- **Finishing Care:** The nitride finish enhances sealing, but it is crucial to torque and rockset the muzzle device to the barrel properly.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is unloaded.
- Gather necessary tools, including a torque wrench and alignment rod.
- Clean the muzzle area of the barrel thoroughly.

### 2. Installation:

- Align the muzzle brake with the barrel using the alignment rod.
- Handtighten the muzzle brake onto the barrel to ensure proper positioning.
- Use a torque wrench to torque the muzzle device to approximately 30 ftlbs.
- Check that the muzzle device is square against the shoulder.

### 3. Suppressor Attachment:

- Clean the threads and taper of the suppressor.
- Attach the suppressor to the muzzle device.
- Torque the suppressor to 10 ftlbs to ensure proper installation.

#### 4. Final Checks:

- Verify that the entire assembly is secure and properly aligned.
- Conduct a function check to ensure that the firearm operates correctly with the muzzle brake installed.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

## Contact Information for Further Support

For any inquiries related to safety, installation, or product issues, please refer to the contact information provided by the retailer or manufacturer from whom you purchased the DPB Muzzle Brake.

By following these safety instructions, you can ensure a safe and enjoyable experience with your DPB Muzzle Brake. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)