

COMPETITION 15-55X52 RIFLESCOPES - COMPETITION 15-55X52MM SFP FCR-1 RETICLE BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The Competition™ now includes ZeroStop™ and Hi-Speed™ adjustments as standard equipment. Two fast, easy-to read windage caps are included with every riflescope, so you can tailor the Competition™ to your style of shooting.

ED glass, for superb color contrast correction and high resolution. A remarkable 92% light transmission, approaching the maximum ever achieved in any riflescope. Fast-focus European-style eyepiece. Just 27.8 ounces in weight—24% lighter than our 12-42 x 56 Benchrest, and over 20% lighter than our former 12-42 x 56 NXS™ riflescopes. The list goes on. Side parallax adjustment from 25 yards to infinity. Hi-Speed™ windage and elevation adjustments of .125 MOA, positive and repeatable over a lifetime of use, now standard with ZeroStop.™ Total elevation travel is 55 MOA, total windage 50 MOA. Each rotation provides 10 MOA of adjustment. The exceptional resolving power of the Competition's ED glass, combined with our lens coatings and uncompromising construction techniques perfected over more than 20 years, means that all of the Competition's magnification range produces outstanding clarity...not just a portion of it, as is often the case in lesser optics. For the serious competitor, this is one serious riflescope.

Nightforce recommends the use of a 20-30 MOA tapered base to yield maximum performance from your Competition™ riflescope.



Attributes

- Name: [COMPETITION 15-55X52MM SFP FCR-1 RETICLE BLACK](#)
- Manufacturer: [NIGHTFORCE](#)
- Product no.: 524000170
- Mfr. No.: C514
- Click Value: 1/8 MOA
- Click Value: 1/8 MOA
- Eye Relief: 3.20"
- Finish: Matte Black
- Focal Plane: Second
- Illumination: No
- Length: 16.2"
- Max Magnification: 55x
- Min. Magnification: 15x
- Model Number: Competition
- Objective Size: 52mm
- Reticle: FCR-1
- Tube Size: 30mm
- Weight: 27.9 oz
- Delivery weight: 1.315kg
- Shipping height: 124mm
- Shipping width: 138mm
- Shipping length: 584mm
- UPC: 847362007236

Item details

US export classification: 0A504.a

Table of Contents

- Startpage
- Safety Instruction Guide for Competition 1555X52 Riflescopes
- About Us

Safety Instruction Guide for Competition 1555X52 Riflescopes

Introduction

Thank you for choosing the Competition 1555X52 Riflescope. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before using the riflescope.

General Safety Guidelines

- **Product Safety:** Always ensure the safe use of your riflescope. Follow all instructions and guidelines to minimize risks.
- **Enhanced Recalls:** Stay informed about any product recalls. You can check for updates on the EU's Safety Gate platform.
- **Online Shopping:** If you purchased this product online, ensure that the seller complies with safety requirements similar to those in physical stores.
- **Special Consumer Focus:** Keep this product away from children. The riflescope is not designed for use by individuals under the age of 18 without adult supervision.
- **EU Contact Point:** For safety inquiries regarding this product, consult the relevant EU-based contact point.
- **Rapid Alerts:** Be aware of any rapid alerts concerning unsafe products that may affect your purchase.

Specific Safety Precautions for Use

- **Avoid Direct Eye Contact:** Never look directly at the sun through the riflescope. This can cause serious eye damage.
- **Secure Mounting:** Ensure that the riflescope is securely mounted on your firearm to prevent accidents during use.
- **Check for Damage:** Before each use, inspect the riflescope for any signs of damage. Do not use the product if it is damaged.
- **Use as Intended:** This riflescope is designed for use with firearms. Do not use it for any other purpose.
- **Proper Handling:** Handle the riflescope with care. Avoid dropping or striking it against hard surfaces.
- **Environment:** Do not use the riflescope in extreme weather conditions (e.g., heavy rain, snow, or extreme temperatures) that may affect its performance.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded before attaching the riflescope.
- Select a suitable mounting base that is compatible with your firearm.
- Align the riflescope with the mounting base and secure it using the provided screws.
- Doublecheck that the riflescope is firmly attached before proceeding.

2. Adjustments:

- Use the HiSpeed windage and elevation adjustments for precise targeting. Each rotation provides 10 MOA of adjustment.
- Adjust the side parallax from 25 yards to infinity as needed for your shooting distance.
- Utilize the fastfocus Europeanstyle eyepiece for optimal viewing.

3. Usage:

- Always follow safe firearm handling practices when using the riflescope.
- Be aware of your surroundings and ensure that you have a clear line of sight before shooting.
- Adjust the magnification as necessary for your shooting conditions, ranging from 15x to 55x.

Disposal Instructions

- **Environmental Considerations:** Do not dispose of the riflescope in regular household waste.
- **Recycling:** Check local regulations for proper disposal methods. Many areas have specific guidelines for recycling electronic equipment.
- **Battery Disposal:** If your riflescope includes batteries, dispose of them in accordance with local regulations for battery disposal.

Contact Information for Further Support

For any questions or concerns regarding the Competition 1555X52 Riflescope, please consult the relevant support channels as provided by your retailer or manufacturer.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Competition 1555X52 Riflescope. Thank you for your attention to safety.

About Us

Brownells Finland

Brownells Finland

Kutojantie 3 (ei myymälää)

02630 Espoo

www.brownells.fi