

BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS"! - LYMAN #3 TRIM XPRESS BUSHING(223 REM)

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

These bushings are spring-loaded for a smooth cut and support the case with the cutter, eliminating the need for pilots. Bushings that used to quickly and cleanly trim brass by simply pushing the case against a carbide cutter, which is part of the Case Trim Xpress system.



Attributes

- Name: [LYMAN #3 TRIM XPRESS BUSHING\(223 REM\)](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539000151
- Mfr. No.: 7821703
- Cartridge: 204 Ruger,223 Remington,17 Remington,221 Remington Fireball,222 Remington,222 Remington Mag,5.56 mm NATO
- Delivery weight: 0.014kg
- Shipping height: 25mm
- Shipping width: 44mm
- Shipping length: 102mm
- UPC: 011516517036

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS
- About Us

Safety Instruction Guide for BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS

Introduction

Thank you for choosing the BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS, specifically designed for use with the LYMAN #3 TRIM XPRESS system. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as outlined in this guide.
- Always inspect the product for any visible damage or wear before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when operating the product.
- Follow all local regulations and guidelines regarding the use of tools and equipment.

Specific Safety Precautions for Use

- The bushings are springloaded; handle with care to avoid pinching fingers.
- Ensure that the case is properly aligned with the cutter before operation to prevent accidents.
- Do not attempt to modify or alter the bushings or the trimming system.
- Always maintain a clean workspace to minimize the risk of accidents.
- If using in a workshop or shared space, ensure that others are aware of your activities to prevent accidental injury.

Instructions for Installation and Usage

1. Installation of Bushings:

- Remove the bushing from its packaging.
- Align the bushing with the designated slot on the LYMAN #3 TRIM XPRESS system.
- Firmly push the bushing into place until it clicks securely.

2. Using the Bushing:

- Insert the brass case into the bushing, ensuring it is seated correctly.
- Apply gentle pressure to the case to engage the cutter.
- Allow the springloaded mechanism to assist in the trimming process.
- After trimming, remove the case carefully to avoid injury.

3. PostUse Care:

- Clean the bushings after each use to remove any brass shavings or debris.
- Store the bushings in a dry, safe place away from direct sunlight or extreme temperatures.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local waste disposal regulations.
- Recycle packaging materials where possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the use of the BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS, please consult the manufacturer's website or customer service for assistance.

Please remember that safety is paramount when using any tools or equipment. Adhering to these guidelines will help ensure a safe and effective experience with your BUSHINGS FOR BRASS SMITH CASE TRIM XPRESS. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk