

GRIP CAP - SUNNY HILL SOLID FLAT GRIP CAP, 2 SCREW, MILD STEEL

[Rifle Parts](#) > [Stock Parts](#) > [Butt Plate Parts](#) > [Grip Caps](#)

Skeleton Grip Cap, Pointed Pattern, Ships with 3 screws. 1.812 long x 1.300 wide, Mild Steel, Not Polished Solid Domed Grip Cap, 2 screw mounting. 1.812 long x 1.300 wide, Mild Steel, Not Polished Flat Grip Cap, Scalloped edge, Ships with 3 mounting screws. 1.812 long x 1.300 wide, Mild Steel, Not Polished Solid Domed Grip Cap, 1 mounting Screw in the center of the cap. 1.750 long x 1.275 wide, Mild Steel, Not Polished



Attributes

- Name: [SUNNY HILL SOLID FLAT GRIP CAP, 2 SCREW, MILD STEEL](#)
- Manufacturer: [SUNNY HILL](#)
- Product no.: 848000013
- Mfr. No.: 228
- Finish: Unfinished
- Material: Steel
- Delivery weight: 0.036kg
- Shipping height: 6mm
- Shipping width: 51mm
- Shipping length: 95mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GRIP CAP SUNNY HILL SOLID FLAT GRIP CAP](#)
- [About Us](#)

Safety Instruction Guide for GRIP CAP SUNNY HILL SOLID FLAT GRIP CAP

Introduction

Thank you for choosing the GRIP CAP SUNNY HILL SOLID FLAT GRIP CAP. This guide provides essential safety information to ensure the safe use and installation of this product. Please read the instructions carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the grip cap for any signs of damage before installation.
- Keep the grip cap out of reach of children to prevent accidents.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the grip cap only on compatible surfaces to avoid accidents.
- Do not exceed the recommended load capacity to prevent damage or injury.
- Ensure that the mounting screws are securely fastened during installation.
- Avoid using the product in extreme temperatures or conditions that may affect its integrity.
- If the grip cap becomes loose or damaged during use, cease use immediately and inspect for issues.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools: screwdriver, measuring tape, and the provided screws.
- Make sure the surface where the grip cap will be installed is clean and dry.

2. Installation Steps

- Measure and mark the desired location for the grip cap.
- Align the grip cap with the marked position.
- Use the provided screws to secure the grip cap in place:
 - For the Solid Domed Grip Cap: Use 1 mounting screw in the center.
 - For the Flat Grip Cap: Use 2 screws for mounting.
- Ensure that the grip cap is firmly attached and does not wobble.

3. Usage

- Once installed, use the grip cap as intended. Ensure that it remains stable during use.
- Regularly check the grip cap for any signs of wear or loosening.

Disposal Instructions

- Dispose of the grip cap according to local regulations.
- Do not dispose of the product in regular household waste.
- If the grip cap is damaged or no longer needed, consider recycling the metal components where facilities exist.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact information provided on the packaging or the product's website.

By following these guidelines and precautions, you can ensure a safe and effective experience with the GRIP CAP SUNNY HILL SOLID FLAT GRIP CAP. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk