

# LIGHT WEIGHT SCOPE MOUNT - BERGARA B-14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

## When Every Ounce Counts; The Strength Of Steel Without The Weight

One-piece construction blends the ring and base into a single unit. Eliminating the ring/base joint not only keeps weight to a minimum, it provides a stronger mount. Each ring cap is 5/8" wide, with four, TORX screws, to keep large scopes from slipping or shifting. Designed by Mel Forbes of New Ultralight Arms.



## Attributes

- Name: [BERGARA B-14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT](#)
- Manufacturer: [TALLEY](#)
- Product no.: 874000125
- Mfr. No.: 95X700LM
- Elevation: 20 MOA
- Finish: Black
- Height: .60"
- Make: Remington, Bergara
- Model: 700, B-14
- Scope Tube Diameter: 1"
- Style: Direct Mount
- Delivery weight: 0.227kg

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [LIGHT WEIGHT SCOPE MOUNT BERGARA B14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT Safety Instruction Guide](#)
- [About Us](#)

# LIGHT WEIGHT SCOPE MOUNT BERGARA B14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT

## Safety Instruction Guide

### Introduction

Thank you for choosing the LIGHT WEIGHT SCOPE MOUNT BERGARA B14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT. This guide provides essential safety instructions to ensure the safe use and installation of your scope mount. Please read this document carefully before use.

### General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the product before each use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

### Specific Safety Precautions for Use

- **Potential Hazards:**
  - Improper installation may lead to scope misalignment or detachment.
  - Using incompatible scopes may result in damage or failure.
- **Avoiding Hazards:**
  - Ensure that the scope mount is compatible with your firearm and scope specifications.
  - Tighten all screws securely to prevent shifting or slipping during use.
  - Do not exceed the recommended weight limits for the scope mount.
  - Always use protective eyewear when handling firearms.

### Instructions for Installation and Usage

1. **Preparation:**
  - Gather all necessary tools, including a TORX screwdriver.
  - Ensure your firearm is unloaded and pointed in a safe direction.
2. **Installation:**
  - Align the scope mount with the mounting holes on your firearm's receiver.
  - Insert the TORX screws into the ring caps and tighten them securely.
  - Confirm that the mount is level and properly aligned with the barrel.
3. **Usage:**
  - Once installed, check the scope for proper alignment and secure it as per the manufacturer's instructions.
  - Regularly inspect the mount and scope during use for any signs of wear or looseness.
  - If you notice any issues, cease use immediately and consult a qualified gunsmith.

### Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for metal components where available.

## **Contact Information for Further Support**

For any questions or concerns regarding the product, please refer to the manufacturer's customer support resources or consult a qualified professional.

Thank you for prioritizing safety while using the LIGHT WEIGHT SCOPE MOUNT BERGARA B14 1" HIGH EXTENDED FRONT 20 MOA SCOPE MOUNT. Your safety is our priority.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)