

LIGHT WEIGHT SCOPE MOUNT - BERGARA PREMIER 1" LOW 20 MOA SCOPE MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

When Every Ounce Counts; The Strength Of Steel Without The Weight

One-piece construction blends the ring and base into a single unit. Eliminating the ring/base joint not only keeps weight to a minimum, it provides a stronger mount. Each ring cap is 5/8" wide, with four, TORX screws, to keep large scopes from slipping or shifting. Designed by Mel Forbes of New Ultralight Arms.



Attributes

- Name: [BERGARA PREMIER 1" LOW 20 MOA SCOPE MOUNT](#)
- Manufacturer: [TALLEY](#)
- Product no.: 874000135
- Mfr. No.: 938700SM
- Elevation: 20 MOA
- Finish: Black
- Height: .40"
- Make: Bergara, Remington
- Model: Premier, 700
- Scope Tube Diameter: 1"
- Style: Direct Mount
- Delivery weight: 0.227kg

Item details

Made in USA

Table of Contents

- Startpage
- LIGHT WEIGHT SCOPE MOUNT BERGARA PREMIER 1" LOW 20 MOA SCOPE MOUNT Safety Instruction Guide
- About Us

LIGHT WEIGHT SCOPE MOUNT BERGARA PREMIER 1" LOW 20 MOA SCOPE MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the LIGHT WEIGHT SCOPE MOUNT BERGARA PREMIER 1" LOW 20 MOA SCOPE MOUNT. This guide provides important safety instructions and usage information to ensure the safe and effective use of this product. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure the scope mount is compatible with your firearm model before installation.
- Regularly inspect the scope mount for any signs of wear or damage.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit of the scope mount.
- Ensure that all screws are tightened securely before use to prevent shifting or slipping of the scope.
- Avoid using the scope mount in extreme weather conditions that may affect its integrity.
- Do not modify or alter the scope mount in any way.
- Be cautious when handling firearms and ensure they are unloaded during installation.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a TORX screwdriver.
- Ensure you have a clean and welllit workspace.

2. Installation

- Place the scope mount on the receiver of your firearm.
- Align the mount with the appropriate screw holes.
- Use the TORX screws provided to attach the ring caps securely.
- Tighten each screw in a crisscross pattern to ensure even pressure.
- Verify that the scope is securely mounted and does not shift or slide.

3. Usage

- After installation, check the alignment of the scope through the mount.
- Make any necessary adjustments to ensure proper sighting.
- Regularly check the mount for tightness and security before each use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling the aluminum material if possible.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the manufacturer's website or customer service.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at