

Skeleton Rifle Stock, V5 Standard - MDT Buttstock - Skeleton Rifle Stock - Fixed - SRS Standard - RED

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

Toolless adjustment of the MDT Skeleton Rifle Stock elevates the comfort and performance of the shooter. Horizontal, vertical and cant adjustment to the cheek riser and buttpad ensures a perfect fit for your shooting position. Fits TAC21, LSS-XL and HS3 chassis (AR-15 Rifle / Fixed interface).

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Buttstock - Skeleton Rifle Stock - Fixed - SRS Standard - RED](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007744
- Mfr. No.: 102669-RED
- Colour: Red
- Material: Aluminum
- Delivery weight: 1.04kg
- Shipping height: 70mm
- Shipping width: 171mm
- Shipping length: 337mm
- UPC: 682131931356

Table of Contents

- [Startpage](#)
- [MDT Skeleton Rifle Stock Safety Instruction Guide](#)
- [About Us](#)

MDT Skeleton Rifle Stock Safety Instruction Guide

Introduction

Thank you for choosing the MDT Skeleton Rifle Stock, V5 Standard. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and accessories with care and respect.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the rifle stock for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm usage and storage.
- In case of any malfunction or accident, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- Before adjusting the MDT Skeleton Rifle Stock, ensure the firearm is unloaded and pointed in a safe direction.
- Use caution when making adjustments to avoid pinching fingers or causing injury.
- Ensure that the cheek riser and buttpad are securely locked in place after adjustments to prevent movement during use.
- Do not exceed the manufacturer's specified weight limit for the rifle stock.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

Instructions for Installation and Usage

1. Installation:

- Remove the MDT Skeleton Rifle Stock from the packaging.
- Ensure the firearm is unloaded and pointed in a safe direction.
- Align the stock with the fixed interface of the firearm (compatible with TAC21, LSSXL, and HS3 chassises).
- Securely attach the stock according to the manufacturer's instructions.

2. Adjustments:

- To adjust the cheek riser:
 - Loosen the adjustment knob.
 - Move the cheek riser to the desired height.
 - Tighten the adjustment knob securely.
- To adjust the buttpad:
 - Loosen the adjustment mechanism.
 - Move the buttpad to the desired position.
 - Tighten the adjustment mechanism securely.
- Ensure all adjustments are secure before using the firearm.

3. Usage:

- Position yourself comfortably with the rifle stock fitted to your shoulder.
- Maintain a firm grip on the firearm and ensure proper alignment with your target.
- Follow all safety protocols for shooting, including wearing appropriate protective gear.

Disposal Instructions

- Dispose of the MDT Skeleton Rifle Stock in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of safely to prevent injury.
- Recycle materials where possible, following local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the MDT Skeleton Rifle Stock, please refer to the manufacturer's website or contact their customer service department for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MDT Skeleton Rifle Stock. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk