

ESS Chassis Base Howa 1500 - ESS Chassis Base-Howa 1500 SA-Right Handed-Cerakote FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Now you can make your own ESS Chassis, just select a Chassis Base here and add Forend and Stock of your choice! ESS Forends are offered in 3 different lengths, 12", 15" and 18", and can be ordered with a full rail, partial rail, or no rail with cut-outs to allow low scope mounting. Each forend comes with M-LOK slots and QD flush cup mounts. Action-specific scope mounting rails which co-index with the forend rail are available as an accessory. Stock options are the standard Skeleton Rifle stock for ESS, the Folding Rifle Stock for ESS, or the Skeleton Carbine Stock with the use of the ESS to Carbine Adapter.

NO IMAGE
AVAILABLE

Attributes

- Name: [ESS Chassis Base-Howa 1500 SA-Right Handed-Cerakote FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007810
- Mfr. No.: 102812-FDE
- Action Type: Short
- Colour: FDE
- Hand (RH LH): Right
- Material: Aluminum
- Model: 1500
- Style: Chassis
- Weapon type: Howa
- Delivery weight: 1.2kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 400mm
- UPC: 709951101384

Table of Contents

- Startpage
- MDT ESS Chassis Base Safety Instruction Guide
- About Us

MDT ESS Chassis Base Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Chassis Base for your Howa 1500 rifle. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this manual carefully before use to understand the potential hazards and how to avoid them.

General Safety Guidelines

- Always handle firearms responsibly and in accordance with local laws and regulations.
- Ensure the product is used only for its intended purpose: to enhance the functionality and ergonomics of the Howa 1500 rifle.
- Keep the chassis and all accessories out of reach of children and unauthorized users.
- Regularly inspect the chassis and components for signs of wear or damage before each use.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

- **Installation Precautions:**

- Ensure the firearm is unloaded before beginning the installation process.
- Follow the installation instructions closely to avoid improper assembly.

- **Operational Precautions:**

- Do not modify the chassis or its components beyond manufacturer specifications.
- Always ensure that the forend and stock are securely attached before using the rifle.

- **Handling Precautions:**

- Treat every firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to fire.
- Always point the firearm in a safe direction.

- **Storage Precautions:**

- Store the chassis and rifle in a secure location, preferably in a locked cabinet or safe.
- Ensure that the storage area is dry and free from moisture to prevent corrosion.

Instructions for Installation and Usage

1. **Installation of the Chassis Base:**

- Remove the action from the original stock.
- Position the action into the MDT ESS Chassis Base, ensuring proper alignment with the bedding area.
- Secure the action using the provided screws, tightening them to the specified torque settings (refer to the manufacturer's instructions).

2. **Attaching the Forend:**

- Select the desired length of the forend (12", 15", or 18").

- Align the forend with the chassis base and secure it using the mounting hardware provided.
- Ensure that the forend is firmly attached and does not move.

3. Installing the Stock:

- Choose your preferred stock option: Skeleton Rifle stock, Folding Rifle Stock, or Skeleton Carbine Stock.
- Follow the manufacturer's instructions for attaching the stock to the chassis.
- Confirm that the stock is securely fastened and adjustable if needed.

4. Scope Mounting:

- If using actionspecific scope mounting rails, ensure they are compatible with your chassis and forend.
- Mount the scope securely and adjust it according to your shooting preferences.

5. Final Inspection:

- Conduct a thorough inspection of the entire assembly to ensure all components are securely attached.
- Verify that there are no loose parts or signs of damage before use.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- When the chassis or its components reach the end of their useful life, ensure they are disposed of in accordance with local regulations for electronic and metal waste.
- Do not incinerate or dispose of in regular household waste.

Contact Information for Further Support

For safety inquiries or product support, please refer to the manufacturer's website or contact their customer service directly. Ensure you have your product details on hand for efficient assistance.

By following these safety instructions and guidelines, you can enjoy the enhanced performance and comfort that the MDT ESS Chassis Base provides while ensuring your safety and that of others. Thank you for your attention to these important details.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk