

JAE Accessories - M-LOK Picatinny Forend Rail - 8" - BLK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Rail Covers](#)

M-LOK Picatinny Rails (in sizes 2", 4", or 8") attach to the M-LOK FLUSH RAIL, M-LOK ARCA RAILS, and to the M-LOK SIDE RAIL ADAPTERS and allow you to attach Bipods or other 1913 PICATINNY RAIL Spec Accessories.

NO IMAGE
AVAILABLE

Attributes

- Name: [JAE Accessories - M-LOK Picatinny Forend Rail - 8" - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2010235
- Mfr. No.: 107238-BLK
- Colour: Black
- Material: Aluminum
- Style: M-LOK
- Delivery weight: 0.08kg
- Shipping height: 13mm
- Shipping width: 51mm
- Shipping length: 267mm
- UPC: 682157410620

Table of Contents

- Startpage
- JAE Accessories MLOK Picatinny Forend Rail Safety Instructions
- About Us

JAE Accessories MLOK Picatinny Forend Rail Safety Instructions

Introduction

Thank you for choosing the JAE Accessories MLOK Picatinny Forend Rail. This guide provides important safety instructions to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR). Please read this guide thoroughly before using the product to ensure your safety and the safety of others.

General Safety Guidelines

- Always handle the product with care to avoid injury.
- Ensure that the product is installed correctly before use.
- Regularly inspect the product for wear and damage.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of your surroundings when using the product to prevent accidents.
- Follow all manufacturer instructions for installation and usage.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation may lead to falls or injury. Using incompatible accessories may compromise safety. Failure to secure the rail properly could result in detachment during use.
- **Avoiding Hazards:** Always ensure that the MLOK Picatinny Forend Rail is securely attached to the firearm. Use only accessories that are compatible with the Picatinny rail system. Regularly check that all mounting screws and attachments are tight and secure.
- **Age Specific Warnings:** This product is not intended for use by individuals under the age of 18 without adult supervision. Keep the product away from children and ensure they do not have access to it.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before beginning installation.
- Locate the MLOK slots on the firearm where the rail will be attached.
- Align the MLOK Picatinny Forend Rail with the slots and slide it into place.
- Secure the rail using the provided screws, ensuring they are tightened adequately.
- Check that the rail is firmly attached by attempting to move it slightly.

2. Usage:

- Always ensure the firearm is pointed in a safe direction when using the rail.
- Attach compatible accessories, such as bipods or other 1913 Picatinny rail spec accessories, securely.
- Regularly inspect the rail and accessories during use for any signs of wear or damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general household waste.
- Consider recycling options for aluminum materials where available.

Contact Information for Further Support

For any questions or concerns regarding the JAE Accessories MLOK Picatinny Forend Rail, please refer to the manufacturer's contact information provided with your product packaging. It is important to reach out for assistance if you encounter any issues or have safety inquiries.

Conclusion

By following these safety instructions, you can ensure the safe use of the JAE Accessories MLOK Picatinny Forend Rail. Always prioritize safety and be aware of your surroundings. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk