

3-18x42 Meta, 1.FP - 3-18x42 Meta 1.FP SBX 0.1 mrad ccw DT23 LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Introducing the new 3-18x42 META (1. BE) — a groundbreaking configuration that combines cutting-edge optics, precision engineering, and a bold new aesthetic to set a new benchmark in long-range performance. Built with hunters and sport shooters in mind, this model redefines what a high-end scope can deliver.

Key Features

Innovative SBX reticle specifically engineered for maximum targeting accuracy across a wide range of shooting scenarios.

First focal plane (FFP): the reticle scales accurately with any magnification level — ensuring flawless target acquisition whether zoomed in or out.

Completely redesigned housing and control turrets: compact, robust and ergonomically refined for intuitive operation in any field condition.

Proven high-durability turrets tested under the harshest conditions — delivering unwavering reliability when it matters most.

Optimized dioptre adjustment: now even better suited for use with auxiliary sighting devices, enabling seamless transition from eyepiece to tube.

Equipped with a tactile magnification ring (TMR) specially built to accommodate the S&B Throw Lever — making rapid zoom changes effortless.

Supplied with rugged Tenebraex lens covers to protect both objective and ocular lenses under all conditions.

Versatility Unleashed Whether you're stalking game deep in the wilderness or engaging targets in competitive mid-range dynamic routines, the 3-18x42 META (1. BE) handles it all. It builds on a proven legacy and adds vital innovations that make it indispensable for demanding users.

NO IMAGE
AVAILABLE

Attributes

- Name: [3-18x42 Meta 1.FP SBX 0.1 mrad ccw DT23 LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016021
- Mfr. No.: 158-811-332-Q9-H2B03
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070750

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 318x42 META \(1.FP\)](#)
- [About Us](#)

Safety Instruction Guide for the 318x42 META (1.FP)

Introduction

Thank you for choosing the 318x42 META (1.FP) rifle scope. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual carefully before using the scope.

General Safety Guidelines

- **Product Safety:** Always ensure that your rifle scope is used according to the manufacturer's instructions. This product is designed for safe use in various shooting scenarios.
- **Enhanced Recalls:** In the unlikely event of a product recall, you will be notified through standardized notices. Follow the instructions provided for safe returns or repairs.
- **Online Shopping:** If you purchased this scope online, know that you have the same safety protections as if you bought it in a physical store.
- **Special Consumer Focus:** Extra care should be taken when using this product around children. Ensure that children do not handle the scope without adult supervision.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided with your product packaging.
- **Rapid Alerts:** Stay informed about potential recalls or safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Proper Handling:** Always handle the scope with care. Avoid dropping or subjecting it to strong impacts.
- **Eye Protection:** Use appropriate eye protection when using firearms equipped with this scope to prevent injury.
- **Environmental Conditions:** Be mindful of extreme weather conditions. Avoid using the scope in heavy rain, snow, or extreme temperatures that could affect its performance.
- **Storage:** Store the scope in a cool, dry place when not in use. Ensure it is kept out of reach of children.
- **Regular Inspection:** Periodically check the scope for any signs of damage or wear. If any issues are found, discontinue use and contact support.

Instructions for Installation and Usage

- **Mounting the Scope:**
 1. Ensure your rifle is unloaded and pointed in a safe direction.
 2. Select a compatible mounting system designed for your rifle.
 3. Securely attach the scope to the rifle using the mounting rings provided.
 4. Ensure the scope is level and properly aligned with the rifle.
- **Adjusting the Scope:**
 1. Set your desired magnification using the tactile magnification ring.
 2. Adjust the diopter setting to match your vision for optimal clarity.
 3. Use the control turrets to zero in your scope according to your shooting requirements.
- **Using the Scope:**
 1. Always ensure the rifle is pointed in a safe direction before looking through the scope.

2. Use the SBX reticle for maximum targeting accuracy.
3. When changing magnification, do so smoothly to maintain target visibility.

Disposal Instructions

- **Environmental Responsibility:** When disposing of this product, follow local regulations regarding electronic waste and hazardous materials.
- **Recycling:** If possible, recycle the scope and its components through an appropriate recycling program.

Contact Information for Further Support

For any questions or concerns regarding the use of the 318x42 META (1.FP) rifle scope, please refer to the contact information included with your product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk