

Casefeed Arm Bushing for Dillon XL650/XL750 (Small / Green - 13412)

Keep your case feeder cycling flawlessly. The Armanov Casefeed Arm Bushing is a premium, high-precision replacement component engineered for Dillon XL650 and XL750 progressive reloading presses.



Constructed from heavy-duty, industrial-grade 3D-printed PETG, this bushing delivers structural flexibility and wear resistance that matches or exceeds the original factory part. Available in a variety of caliber-specific sizes and vibrant colors, each bushing is custom-tailored to ensure smooth, properly aligned case dropping—drastically minimizing tipping and feeding jams to boost your overall reloading efficiency.

Attributes

- Name: Casefeed Arm Bushing for Dillon XL650/XL750 (Small / Green - 13412)
- Manufacturer: ARMANOV
- Product no.: EU2018287
- Mfr. No.: CFAB-GR
- Colour: Yellow
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Casefeed Arm Bushing Safety Instructions](#)

Casefeed Arm Bushing Safety Instructions

Introduction

Thank you for choosing the Casefeed Arm Bushing for Dillon XL650/XL750. This product is designed to enhance your reloading experience by providing a reliable and efficient solution for case feeding. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always ensure that the reloading press is turned off and unplugged before installing or replacing any parts.
- Keep all components out of reach of children and pets to avoid accidental injuries.
- Inspect the Casefeed Arm Bushing regularly for wear and damage. Do not use if damaged.
- Use only the recommended Dillon XL650 and XL750 reloading presses with this bushing.
- Follow all manufacturer guidelines for your reloading press to ensure safe operation.

Specific Safety Precautions for Use

- Ensure that the bushing is properly aligned before use to prevent jams and tipping.
- Do not force cases through the bushing; if you encounter resistance, check for alignment issues.
- Avoid using the bushing with cases that are not compatible with the specified caliber sizes.
- Use protective eyewear while operating the reloading press to protect against any potential debris.
- Be aware of your surroundings and ensure that the work area is clean and free from clutter to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Turn off and unplug the Dillon XL650 or XL750 reloading press.
- Remove the existing bushing from the case feed arm by unscrewing it counterclockwise.
- Take the new Casefeed Arm Bushing and align it with the mounting area.
- Screw the bushing in place by turning it clockwise until secure. Do not overtighten.
- Ensure that the bushing is properly seated and aligned before proceeding.

2. Usage:

- Once installed, plug in and turn on the reloading press.
- Load the cases into the feeder and ensure they are aligned properly.
- Monitor the operation of the bushing during use to ensure smooth cycling.
- If any issues arise, stop operation immediately and inspect the bushing for damage or misalignment.

Disposal Instructions

- Dispose of the bushing in accordance with local regulations for plastic waste.
- Do not dispose of in regular household waste; check for recycling options.
- If the bushing is damaged, consider contacting a local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Casefeed Arm Bushing, please refer to the manufacturer's website or contact their customer support for assistance. Remember to keep your purchase receipt and any relevant documentation for warranty purposes.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with your Casefeed Arm Bushing for Dillon XL650/XL750. Always prioritize safety and adhere to the guidelines outlined in this manual. Thank you for your attention to safety, and happy reloading!