

Casefeed Body Bushing for Dillon XL650/XL750 (Large (13639))

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

The Armanov Casefeed Arm Bushing is a premium replacement part designed for Dillon XL650 and XL750 reloading presses. Constructed from durable 3D-printed PETG plastic, it offers compatibility and functionality equivalent to the original Dillon Precision part. Available in various sizes and colors, each bushing is tailored to fit specific calibers, enhancing the efficiency and reliability of your reloading process.



Attributes

- Name: [Casefeed Body Bushing for Dillon XL650/XL750 \(Large \(13639\)\)](#)
- Manufacturer: [ARMANOV](#)
- Product no.: EU2018309
- Mfr. No.: CFBB-L
- Colour: Yellow
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Armanov Casefeed Body Bushing for Dillon XL650/XL750](#)
- [About Us](#)

Safety Instruction Guide for Armanov Casefeed Body Bushing for Dillon XL650/XL750

Introduction

Thank you for choosing the Armanov Casefeed Body Bushing for Dillon XL650/XL750. This premium replacement part is designed to enhance the efficiency and reliability of your reloading process. To ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR), please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the bushing is compatible with your Dillon XL650 or XL750 reloading press before installation.
- Always handle the bushing with care to avoid damage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushing for wear or damage; do not use if damaged.
- If you experience any issues during use, cease operation immediately and consult the troubleshooting section of your reloading press manual.

Specific Safety Precautions for Use

- Use only the recommended size and color of the bushing for your specific caliber.
- Avoid using the bushing for any purpose other than its intended use.
- Ensure that the reloading press is turned off and unplugged during installation or maintenance.
- Wear appropriate personal protective equipment (PPE) such as safety glasses when using the reloading press.
- Do not exceed the recommended load capacities for your reloading press.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Dillon XL650 or XL750 reloading press is clean and free from debris.
- Gather necessary tools for installation (if applicable).

2. Installation:

- Turn off and unplug the reloading press.
- Remove the existing bushing from the case feed arm, if applicable.
- Align the Armanov Casefeed Body Bushing with the case feed arm.
- Gently press or screw the bushing into place until secure.
- Doublecheck that the bushing is properly installed and not loose.

3. Usage:

- Turn on the reloading press and ensure it is functioning correctly.
- Feed cases into the bushing according to the manufacturer's instructions.
- Monitor the operation for any unusual noises or malfunctions.
- Regularly check the bushing during use to ensure it remains secure and functional.

Disposal Instructions

- Dispose of the bushing in accordance with local regulations.
- Do not dispose of the bushing in regular household waste if it is damaged or no longer usable.
- Consider recycling the product if possible, as it is made from PETG plastic.

Contact Information for Further Support

For any safety inquiries or further support regarding the Armanov Casefeed Body Bushing, please refer to the contact details provided with your product purchase or consult the official website of the manufacturer.

Thank you for prioritizing safety while using the Armanov Casefeed Body Bushing. By following these guidelines, you can ensure a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk