

Dillon Debris-Out Casefeeder Adapter - Disc Detent Spring for Dillon XL650 - 13844

Restore Factory-Fresh Performance Never compromise on the precision of your reloading bench. This high-grade spare part is engineered to match original Dillon Precision specifications flawlessly. By ensuring a seamless fit and frictionless operation, it eliminates downtime and keeps your progressive press running like new.



Attributes

- Name: Disc Detent Spring for Dillon XL650 - 13844
- Manufacturer: ARMANOV
- Product no.: EU2018335
- Mfr. No.: DISDETSPR650
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Dillon DebrisOut Casefeeder Adapter Disc Detent Spring for Dillon XL650 13844](#)

Dillon DebrisOut Casefeeder Adapter Disc Detent Spring for Dillon XL650 13844

Safety Instruction Guide

Introduction

Thank you for choosing the Dillon DebrisOut Casefeeder Adapter Disc Detent Spring for Dillon XL650. This product is designed to restore factoryfresh performance to your reloading bench. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is compatible with your Dillon XL650 before installation.
- Use the product only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear safety glasses and appropriate protective gear when handling or operating reloading equipment.
- Avoid using the product if it appears damaged or worn out.
- Do not force the product into place; ensure a seamless fit to avoid malfunction.
- Follow the manufacturer's instructions for installation and usage to prevent accidents.
- Ensure that your workspace is clean and free of obstructions when using the product.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and materials for installation.
- Ensure that the Dillon XL650 is unplugged and not in operation.

2. Installation

- Carefully remove the existing disc detent spring from the casefeeder.
- Align the new Dillon DebrisOut Casefeeder Adapter Disc Detent Spring with the designated area.
- Gently insert the spring into place, ensuring it fits snugly without forcing it.
- Doublecheck that the spring is properly seated before proceeding.

3. Usage

- Once installed, reconnect your Dillon XL650 and conduct a test run.
- Monitor the operation for any irregularities or unusual sounds.
- If any issues arise, immediately stop using the equipment and consult the troubleshooting section of your Dillon XL650 manual.

Disposal Instructions

- Dispose of the product responsibly.
- If the product is damaged or no longer usable, follow local regulations for disposal of mechanical parts.
- Do not dispose of the product in regular household waste. Instead, consider recycling options where

available.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Dillon DebrisOut Casefeeder Adapter Disc Detent Spring, please refer to the manufacturer's website or customer service resources.

Thank you for prioritizing safety while using the Dillon DebrisOut Casefeeder Adapter Disc Detent Spring for Dillon XL650. Your careful attention to these guidelines will help ensure a safe and efficient reloading experience.